

Recombinant Full Length Human TCF3 Protein, C-Flag-tagged

Cat. No. TCF3-1948HFL Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length Human TCF3 Protein, fused to Flag-tag at C-terminus, was expressed in Mammalian cells.
Species	Human
Source	Mammalian Cells
Description	This gene encodes a member of the E protein (class I) family of helix-loop-helix transcription factors. E proteins activate transcription by binding to regulatory E-box sequences on target genes as heterodimers or homodimers, and are inhibited by heterodimerization with inhibitor of DNA-binding (class IV) helix-loop-helix proteins. E proteins play a critical role in lymphopoiesis, and the encoded protein is required for B and T lymphocyte development. Deletion of this gene or diminished activity of the encoded protein may play a role in lymphoid malignancies. This gene is also involved in several chromosomal translocations that are associated with lymphoid malignancies including pre-B-cell acute lymphoblastic leukemia (t(1;19), with PBX1), childhood leukemia (t(19;19), with TFPT) and acute leukemia (t(12;19), with ZNF384). Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the short arm of chromosome 9.
Form	25 mM Tris HCl, pH 7.3, 100 mM glycine, 10% glycerol.
Molecular Mass	67.1 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	MNQPQRMAPVGTDKELSDLLDFSMFPLPVTNGKGRPASLAGAQFGGSGLEDPRS SGSWGSGDQSSSSFD PSRTFSEGTHFTESHSSLSSSTFLGPGLGGKSGERGAYAS FGRDAGVGGLTQAGFLSGELALNSPGPLSP SGMKGTSQYYPSYSGSSRRRAADG SLDTQPKKVRKVPPGLPSSVYPPSSGEDYGRDATAYPSAKTPSSTY PAPFYVADGS LHPSAELWSPPGQAGFGPMLGGGSSPLPLPPGSGPVGSSGSSSTFGGLHQHERM GYQLHG AEVNGGLPSASSFSSAPGATYGGVSSHTPPVSGADSLGSRGTTAGSSG DALGKALASIYSPDHSSNNFS SSPSTPVGSPQGLAGTSQWPRAGAPGALSPSYDG GLHGLQSKIEDHLDEAIHVLRSHAVGTAGDMHTLLP GHGALASGFTGPMSLGGRHA GLVGGSHPEDGLAGSTSLMHNHAALPSQPGTLPDLRPPDSYSGLGRAGA TAAAS EIKREEKEDEENTSAADHSEEEKKELKAPRARTSSTDEVLSLEEKDLRDRERRMAN NARERVVRV DINEAFRELGRMCQMHLKSDKAQTKLLILQQAVQVILGLEQQVRERN LNPKAACLRREEEKVSGVV GDP QMVL SAPHPGLSEAHNPAGHM TRTRPLEQKLI SEEDLAANDILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining.
Stability	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
Storage	Store at -80 centigrade.
Concentration	>50 ug/mL as determined by microplate BCA method.
Preparation	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Protein Families	Druggable Genome, ES Cell Differentiation/IPS, Induced pluripotent stem cells, Transcription Factors
Full Length	Full L.

GENE INFORMATION

Gene Name TCF3 transcription factor 3 [Homo sapiens (human)]

Official Symbol TCF3

Synonyms E2A; E47; p75; AGM8; ITF1; VDIR; AGM8A; AGM8B; TCF-3; bHLHb21


Gene ID 6929

mRNA Refseq NM_001136139.4

Protein Refseq NP_001129611.1

MIM 147141

UniProt ID P15923



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Coomassie blue staining of purified TCF3 protein.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA