

Recombinant Full Length Human PSME3 Protein, C-Flag-tagged

Cat. No. PSME3-1977HFL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length Human PSME3 Protein, fused to Flag-tag at C-terminus, was expressed in Mammalian cells.
Species	Human
Source	Mammalian Cells
Description	The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. The immunoproteasome contains an alternate regulator, referred to as the 11S regulator or PA28, that replaces the 19S regulator. Three subunits (alpha, beta and gamma) of the 11S regulator have been identified. This gene encodes the gamma subunit of the 11S regulator. Six gamma subunits combine to form a homohexameric ring. Alternate splicing results in multiple transcript variants.
Form	25 mM Tris HCl, pH 7.3, 100 mM glycine, 10% glycerol.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	29.3 kDa
AA Sequence	MASLLKVDQEVLKLVDSFRERITSEAEDLVANFFPKLLELDSFLKEPILNIHDLTQIHS DMNLPVPDPI LLTNSHDGLDGPTYKKRRLDECEEFQGTKVFVMPNGMLKSNQQL VDIIEKVKPEIRLLIEKCNTVKMWV QLLIPRIEDGNNFGVSIQEETVAELRTVESEAAS YLDQISRYIYITRAKLVSIAKYPHVEDYRRTVTEID EKEYISLRLLIISLRNQYVTLHDM ILKNIEKIKRPRSSNAETLY TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining.
Stability	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
Storage	Store at -80 centigrade.
Concentration	>50 ug/mL as determined by microplate BCA method.
Preparation	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Protein Families	Stem cell - Pluripotency
Protein Pathways	Antigen processing and presentation, Proteasome
Full Length	Full L.
GENE INFORMATION	
Gene Name	PSME3 proteasome activator subunit 3 [Homo sapiens (human)]
Official Symbol	PSME3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	Ki; PA28G; HEL-S-283; PA28gamma; REG-GAMMA; PA28-gamma
Gene ID	10197
mRNA Refseq	NM_005789.4
Protein Refseq	NP_005780.2
MIM	605129
UniProt ID	P61289
 Coomassie blue staining of purified PSME3 protein.	