

Recombinant Human FGFR2, His-tagged

Cat. No. FGFR2-87H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human FGFR2 was expressed as 6*his-tagged fusion protein by E.Coli and purified by Ni-sepharose.
Species	Human
Source	E.coli
Description	The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member is a high-affinity receptor for acidic, basic and/or keratinocyte growth factor, depending on the isoform. Mutations in this gene are associated with Crouzon syndrome, Pfeiffer syndrome, Craniosynostosis, Apert syndrome, Jackson-Weiss syndrome, Beare-Stevenson cutis gyrata syndrome, Saethre-Chotzen syndrome, and syndromic craniosynostosis. Multiple alternatively spliced transcript variants encoding different isoforms have been noted for this gene.
AA Sequence	359-422aa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	The protein is stored in PBS buffer at -20 oC. Repeated freeze-thaw cycles should be avoided.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 300mM Imidazole and 0.7% Sarcosyl, 15% glycerol.
GENE INFORMATION	
Gene Name	FGFR2 fibroblast growth factor receptor 2 [Homo sapiens]
Official Symbol	FGFR2
Synonyms	FGFR2; BEK; JWS; BBDS; CEK3; CFD1; ECT1; KGFR; TK14; TK25; BFR-1; CD332; K-SAM; fibroblast growth factor receptor 2; FLJ98662; FGF receptor; OTTHUMP00000020624; OTTHUMP00000020626; soluble FGFR4 variant 4; bacteria-expressed kinase; hydroxyaryl-protein kinase; keratinocyte growth factor receptor; BEK fibroblast growth factor receptor; protein tyrosine kinase, receptor like 14; EC 2.7.10.1; craniofacial dysostosis 1; Jackson-Weiss syndrome; Crouzon syndrome; Pfeiffer syndrome; FGFR-2; CD_antigen; CD332; Keratinocyte growth factor receptor 2; KSAM; OTTHUMP00000020621; OTTHUMP00000020629; FGF receptor
Gene ID	2263
mRNA Refseq	NM_000141
Protein Refseq	NP_000132
MIM	176943
UniProt ID	P21802

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	10q26
Pathway	Endocytosis; MAPK signaling pathway; Pathways in cancer; Prostate cancer; Regulation of actin cytoskeleton; Signaling by FGFR
Function	cancer; Regulation of actin cytoskeleton; Signaling by FGFR Function; ATP binding; fibroblast growth factor receptor activity; heparin binding; nucleotide binding; protein binding; receptor activity; transferase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA