

Active Recombinant Human CXCL13 Protein

Cat. No. CXCL13-132H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human CXCL13 Protein without tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	87 AA
Description	B lymphocyte chemoattractant, independently cloned and named Angie, is an antimicrobial peptide and CXC chemokine strongly expressed in the follicles of the spleen, lymph nodes, and Peyer's patches. It preferentially promotes the migration of B lymphocytes (compared to T cells and macrophages), apparently by stimulating calcium influx into, and chemotaxis of, cells expressing Burkitt's lymphoma receptor 1 (BLR-1). It may therefore function in the homing of B lymphocytes to follicles.
Form	Sterile Filtered White lyophilized (freeze-dried) powder.
Bio-activity	Determined by its ability to chemoattract human B cells using a concentration range of 1-10 ng/mL corresponding to a Specific Activity of 100,000-1,000,000 IU/mg.
Molecular Mass	10.3 kDa
AA Sequence	VLEVYYTSLRCRCVQESSVFIPRRFIDRIQLPRGNGCPRKEIIVWKKNKSIVCVDPQA EWIQRMMEVLRKRSSSTLPVPVFKRKIP.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	Greater than 97.0% as determined by: (a) Analysis by RP-HPLC. (b) Analysis by SDS-PAGE.
Notes	Our products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.
Storage	Lyophilized BCA1 although stable at room temperature for 3 weeks, should be stored desiccated below -18 centigrade. Upon reconstitution BCA1 should be stored at 4 centigrade between 2-7 days and for future use below -18 centigrade. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.
Concentration	0.5 mg/mL
Storage Buffer	20mM PBS & 150mM NaCl pH7.4.
Shipping	Room temperature.

GENE INFORMATION

Gene Name	CXCL13 C-X-C motif chemokine ligand 13 [Homo sapiens (human)]
Official Symbol	CXCL13
Synonyms	CXCL13; C-X-C motif chemokine ligand 13; BLC; BCA1; ANGIE; BCA-1; BLR1L; ANGIE2; SCYB13; C-X-C motif chemokine 13; B-cell chemoattractant; B-cell-attracting chemokine 1; B-cell-homing chemokine (ligand for Burkitt's lymphoma receptor-1); B-lymphocyte chemoattractant; CXC chemokine BLC; b cell-attracting chemokine 1; b lymphocyte chemoattractant; chemokine (C-X-C motif) ligand 13 (B-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

cell chemoattractant); small inducible cytokine B subfamily (Cys-X-Cys motif), member 13 (B-cell chemoattractant); small-inducible cytokine B13

Gene ID 10563

mRNA Refseq NM_006419

Protein Refseq NP_006410

MIM 605149

UniProt ID O43927

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA