

Active Recombinant Human TFF1 Protein

Cat. No. TFF1-050T **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human TFF1 Protein without tag was expressed in E. coli.
Species	Human
Source	E.coli
Description	The Trefoil Factor peptides (TFF1, TFF2 and TFF3) are expressed in the gastrointestinal tract, and appear to play an important role in intestinal mucosal defense and repair. TFF1 is essential for normal differentiation of the antral and pyloric gastric mucosa and functions as a gastric-specific tumor suppressor gene.
Form	Sterile Filtered White lyophilized (freeze-dried) powder.
Bio-activity	Fully biologically active when compared to standard.Determined by its ability to activate ERK1/2 (a MAPkinase signaling molecule) using a concentration 1.0-2.0 µg/mL, corresponding to a Specific Activity of 500 IU/mg.
Molecular Mass	13.2 kDa homodimeric protein consisting of two 60 amino acid polypeptide chains, which includes a 40-amino acid trefoil motif containing three conserved intramolecular disulfide bonds.
AA Sequence	EAQTETCTVAPRERQNCGFPGVTPSQCANKGCCFDDTVRGVPWC FY PNTIDVPPE EECEF
Endotoxin	Less than 1 EU/µg of rHuTFF1 as determined by LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>97% by SDS-PAGE and HPLC analyses.
Storage	This lyophilized preparation is stable at 2-8 centigrade, but should be kept at -20 centigrade for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8 centigrade. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20 to -70 centigrade. Avoid repeated freeze/thaw cycles.
Storage Buffer	Lyophilized from a 0.2 µm filtered concentrated solution in 20mM PB, pH 7.4, 150mM NaCl.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at < -20C. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name	TFF1 trefoil factor 1 [Homo sapiens]
Official Symbol	TFF1
Synonyms	TFF1; trefoil factor 1; BCEI, breast cancer, estrogen inducible sequence expressed in; D21S21; HP1.A; HPS2; pNR 2; pS2; protein pS2; polypeptide P1.A; gastrointestinal trefoil protein pS2; breast cancer estrogen-inducible protein; breast cancer estrogen-inducible sequence; BCEI; pNR-2;
Gene ID	7031
mRNA Refseq	NM_003225

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_003216
MIM	113710
UniProt ID	P04155

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA