

Active Recombinant Human IL22 Protein

Cat. No. IL22-178I **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human IL22 Protein without tag was expressed in HEK 293.
Species	Human
Source	HEK293
Description	Interleukin-22 (IL-22) is a member of the IL-10 family of regulatory cytokines which includes IL-10, IL-19, IL-20, IL-22, IL-24 and IL-26. Members of this family share partial homology in their amino acid sequences, but they are dissimilar in their biological functions. Produced by T lymphocytes, IL-22 inhibits IL-4 production by Th2 cells, and induces acute phase reactants in the liver and pancreas. IL-22 signals through a receptor system consisting of IL-10R-β/CRF2-4 and IL-22R, both of which are members of the class II cytokine-receptor family.
Form	Sterile Filtered White lyophilized (freeze-dried) powder.
Bio-activity	Active, measured by its ability to activate STAT following receptor ligand interaction.
Molecular Mass	16~28 kDa, observed by reducing SDS-PAGE.
AA Sequence	APISSHCRLDKSNFQQPYITNRTFMLAKEASLADNNTDVRDIGEKLFHGVSMSERCY LMKQVLNFTLEEVLPQSDRFQPYMQEVVPFLARLSNRLSTCHIEGDDLHIQRNVQK LKDTVKKLGESGEIKAIGELDLLFMSLRNACI
Endotoxin	< 0.2 EU/μg, determined by LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 95% as analyzed by SDS-PAGE.
Storage	Lyophilized recombinant Human Interleukin-22 (IL-22) remains stable up to 6 months at -80 centigrade from date of receipt. Upon reconstitution, Human Interleukin-22 (IL-22) should be stable up to 1 week at 4 centigrade or up to 2 months at -20 centigrade.
Storage Buffer	Lyophilized after extensive dialysis against PBS.
Reconstitution	Reconstituted in ddH ₂ O or PBS at 100 µg/mL.

GENE INFORMATION

Gene Name	IL22 interleukin 22 [Homo sapiens]
Official Symbol	IL22
Synonyms	IL22; interleukin 22; interleukin-22; IL 10 related T cell derived inducible factor; IL 21; IL 22; IL D110; IL TIF; ILTIF; MGC79382; MGC79384; TIFa; TIFIL 23; zcyto18; cytokine Zcyto18; IL-10-related T-cell-derived inducible factor; IL-10-related T-cell-derived-inducible factor; IL-21; IL-22; IL-TIF; IL-D110; TIFIL-23;
Gene ID	50616
mRNA Refseq	NM_020525
Protein Refseq	NP_065386
MIM	605330
UniProt ID	Q9GZX6

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA