

Active Recombinant Mouse Csf1 Protein (156 aa)

Cat. No. Csf1-334C **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant mouse Macrophage Colony Stimulating Factor (M-CSF) produced in E. coli is a disulfide-linked homodimer containing two non-glycosylated polypeptide chains of 156 amino acids each. A fully biologically active molecule, rmM-CSF has a molecular mass of 30 kDa analyzed by reducing SDS-PAGE and is obtained by chromatographic techniques.
-------------------------	--

Species	Mouse
----------------	-------

Source	E.coli
---------------	--------

ProteinLength	156
----------------------	-----

Description	Macrophage Colony Stimulating Factor (M-CSF), also known as CSF1, is a potent hematopoietic factor produced by a variety of cells including lymphocytes, monocytes, fibroblasts, endothelial cells, myoblasts and osteoblasts. The active form of the protein is found extracellularly as a disulfide-linked homodimer, and is thought to be produced by proteolytic cleavage of membrane-bound precursors. It is a key regulator of cellular proliferation, differentiation, and survival of blood monocytes, tissue macrophages and their progenitor cells. M-CSF affects macrophages and monocytes in several ways, including stimulating increased phagocytic and chemotactic activity, and increased tumour cell cytotoxicity. M-CSF is clinically used in the treatment of infection, malignancies and atherosclerosis. It facilitates hematopoietic recovery after bone marrow transplantation.
--------------------	--

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Sterile Filtered White lyophilized (freeze-dried) powder.
Bio-activity	ED50< 3 ng/mL, measured in a cell proliferation assay using Murine M-NFS-60 cells, corresponding to a specific activity of > 3.3 × 10 ⁵ units/mg.
Molecular Mass	30 kDa, observed by reducing SDS-PAGE.
AA Sequence	MKEVSEHCSHMIGNGHLKVLQQLIDSQMETSCQIAFEFVDQEQLDDPVCYLKKAFFL VQDIIDETMRFKDNTPNANATERLQELSNLNSCFTKDYEEQNKACVRTFHETPLQL LEKIKNFFNETKNLLEKDOWNIFTKNCNNSFAKCSSRDVVTKP
Endotoxin	< 0.2 EU/μg, determined by LAL method.
Purity	> 95% as analyzed by SDS-PAGE.
Storage	Lyophilized recombinant Mouse Macrophage Colony Stimulating Factor(M-CSF) remains stable up to 6 months at -80 centigrade from date of receipt. Upon reconstitution, Mouse M-CSF should be stable up to 1 week at 4 centigrade or up to 2 months at -20 centigrade.
Storage Buffer	Lyophilized after extensive dialysis against 50mMTris,150mMNaCl, pH 8.0.
Reconstitution	Reconstituted in ddH2O at 100 μg/mL.

GENE INFORMATION

Gene Name	Csf1 colony stimulating factor 1 (macrophage) [<i>Mus musculus</i>]
Official Symbol	Csf1
Synonyms	CSF1; colony stimulating factor 1 (macrophage); macrophage colony-stimulating

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

factor 1; osteopetrosis; op; Csfm; MCSF; C87615;

Gene ID 12977**mRNA Refseq** NM_001113529**Protein Refseq** NP_001107001**UniProt ID** P07141 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA