

Enzyme catalysed Human Di-ubiquitin (K48-linked) Protein

Cat. No. UBA52-08H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Enzyme catalysed Human Di-ubiquitin (K48-linked) Protein
Species	Human
Source	Enzyme catalysed
Description	Ubiquitin is a highly conserved nuclear and cytoplasmic protein that has a major role in targeting cellular proteins for degradation by the 26S proteasome. It is also involved in the maintenance of chromatin structure, the regulation of gene expression, and the stress response. Ubiquitin is synthesized as a precursor protein consisting of either polyubiquitin chains or a single ubiquitin moiety fused to an unrelated protein. This gene encodes a fusion protein consisting of ubiquitin at the N terminus and ribosomal protein L40 at the C terminus, a C-terminal extension protein (CEP). Multiple processed pseudogenes derived from this gene are present in the genome.
Molecular Mass	~17.1 kDa
AA Sequence	MQIFVKLTGKITLEVEPSDTIENVKAKIQDKEGIPPDQQRLIFAGKQLEDGRTLSDY NIQKESTLHLVLRRLRGG
Purity	>98% by InstantBlue SDS-PAGE
Stability	12 months at -70 centigrade; aliquot as required
Storage	At -70 centigrade.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Concentration 0.5 mg/mL

Storage Buffer 50 mM HEPES pH 7.5, 150 mM sodium chloride, 2 mM dithiothreitol, 10% glycerol

GENE INFORMATION

Gene Name UBA52 ubiquitin A-52 residue ribosomal protein fusion product 1 [Homo sapiens (human)]

Official Symbol UBA52

Synonyms UBA52; ubiquitin A-52 residue ribosomal protein fusion product 1; L40; CEP52; RPL40; HUBCEP52; ubiquitin-60S ribosomal protein L40; ubiquitin carboxyl extension protein 52; ubiquitin-52 amino acid fusion protein; ubiquitin-CEP52

Gene ID 7311

mRNA Refseq NM_003333

Protein Refseq NP_003324

MIM 191321


UniProt ID P62987

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity



4-12% gradient SDS-PAGE InstantBlue staining

Lane 1: MW markers

Lane 2: 1 µg Di-ubiquitin (K48-linked)

Protein Sequence

MQIFVKLTGKTTITLEVEPSDTIENVKAKIQDKEGIPDPQRLIFAGKQLEDGRTLSDYNIQKESTLHLVLRGG~
 MQIFVKLTGKTTITLEVEPSDTIENVKAKIQDKEGIPDPQRLIFAGKQLEDGRTLSDYNIQKESTLHLVLRGG
 K48

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA