

Active Recombinant Bovine PIK3CA

Cat. No. PIK3CA-208B **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Bovine PIK3CA is expressed in <i>Sf9 insect cells</i> . Phosphoinositide 3-kinase alpha is a glycosylated protein having a molecular weight as follows: p85a chain 83.5 kDa, p110 chain 124.3 kDa.
Species	Bovine
Source	Sf9 Cells
Description	PI3Ka plays a specific role in apoptosis in human colon cancer cells. Injection of neutralizing antibodies specific to PI3Ka into adenocarcinoma cells induced apoptosis, a response that was reverted by treating cells with caspase inhibitor. It was also shown that PI3Ka mediated phosphorylation of the p85a adapter reduces the lipid kinase activity of the heterodimer and this gives hints for PI3K-dependent signaling events not requiring production of 3'-phosphorylated phosphoinositides. PI3Ka is a key regulator of the initiation of keratinocyte differentiation. A decrease in PI3Ka activity results in a loss of keratinocyte adhesion to the extracellular membrane and the initiation of early phase differentiation.
Physical Appearance	Sterile filtered liquid formulation.
Formulation	PI3Ka solution in 25mM HEPES, pH 8.0, 25mM NaCl, 2.5mM MgCl ₂ and 50% glycerol.
Stability	PI3Ka although stable at 14°C for 1 week, should be stored desiccated below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Please prevent freeze-thaw cycles.

Purity Greater than 90.0% as determined by SDS-PAGE.

Activity 1,000 U/mg.

Unit Definition 1 unit is defined as 1 picomole phosphate transferred to PIP2 per minute.

GENE INFORMATION

Gene Name PIK3CA phosphoinositide-3-kinase, catalytic, alpha polypeptide [Bos taurus]

Synonyms PIK3CA; phosphoinositide-3-kinase, catalytic, alpha polypeptide; Phosphoinositide 3-kinase alpha p110a/p85a, PI3Ka, 2.7.1.137, Phosphatidylinositol 3-kinase, 1-phosphatidylinositol 3-kinase, PI3-kinase, PtdIns-3-kinase, Type I phosphatidylinositol kinase, Type III phosphoinositide 3-kinase; EC 2.7.1.153

Gene ID 282306

mRNA Refseq NM_174574

Protein Refseq NP_776999

UniProt ID P32871

Pathway Acute myeloid leukemia; Apoptosis; B cell receptor signaling pathway; Chemokine signaling pathway; Colorectal cancer; Endometrial cancer; Fc epsilon RI signaling pathway; Fc gamma R-mediated phagocytosis; Focal adhesion; Inositol phosphate metabolism; Insulin signaling pathway; Jak-STAT signaling pathway; Leukocyte transendothelial migration; Natural killer cell mediated cytotoxicity; Neurotrophin signaling pathway; Phosphatidylinositol signaling system; Progesterone-mediated

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

oocyte maturation; Prostate cancer; Regulation of actin cytoskeleton; Small cell lung cancer; VEGF signaling pathway; mTOR signaling pathway

Function

1-phosphatidylinositol-3-kinase activity; ATP binding; inositol or phosphatidylinositol kinase activity; insulin receptor substrate binding; nucleotide binding; phosphatidylinositol-4,5-bisphosphate 3-kinase activity; phosphotransferase activity, alcohol group as acceptor; transferase activity

PI3 Kinase 110 alpha
bound to the
inhibitor PIK-93
(yellow).



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA