

Recombinant Human Lcium Binding Protein P22, His-tagged

Cat. No. CHP-2583H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human CHP, fused to His-tag at N-terminus, was expressed in <i>E.coli</i> and purified by using conventional chromatography.
Species	Human
Source	<i>E.coli</i>
Description	CHP (Calcium-binding protein P22) is a phosphoprotein that binds to the sodium-hydrogen exchangers (NHEs). This protein serves as an essential cofactor which supports the physiological activity of NHE family members. It has protein sequence similarity to calcineurin B and it is also known to be an endogenous inhibitor of calcineurin activity.
Sequences	MGSSHHHHHH SSGLVPRGSH MMGSRASSTLL RDEELEEIKK ETGFSHSQIT RLYSRFTSLD KGENGTLSRE DFQRIPELAI NPLGDRIINA FFPEGEDQVN FRGFMRTLALH FRPIEDNEKS KDVNGPEPLN SRSNKLHFAF RLYDLKDDEK ISRDELLQVL RMMVGVNISD EQLGSIADRT IQEADQDGDS AISFTEFVKV LEKVDVEQKM SIRFLH.
Molecular Weight	24.7 kDa(216aa), confirmed by MALDI-TOF.
Form	Liquid. In 20 mM Tris-HCl Buffer (pH 7.5) containing 10% Glycerol.
Purity	> 95% by SDS – PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Concentration 1 mg/ml (determined by Bradford assay).

Storage Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

GENE INFORMATION

Gene Name [CHP calcium binding protein P22 \[Homo sapiens \]](#)

Synonyms CHP; Calcium binding protein P22; calcium-binding protein p22; calcineurin B homolog; SLC9A1 binding protein; calcium-binding protein CHP; calcineurin homologous protein

Gene ID [11261](#)

mRNA Refseq [NM_007236](#)

Protein Refseq [NP_009167](#)

MIM [606988](#)

UniProt ID [Q99653](#)

Chromosome Location 15q13.3

Pathway Alzheimer's disease; Amyotrophic lateral sclerosis (ALS); Apoptosis; Axon guidance; B cell receptor signaling pathway; Long-term potentiation; MAPK signaling pathway; Natural killer cell mediated cytotoxicity; Oocyte meiosis; T cell receptor signaling pathway; VEGF signaling pathway; Wnt signaling pathway

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

calcium ion binding; potassium channel regulator activity

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA