

Recombinant Human 5'-nucleotidase, ecto (CD73), His-tagged

Cat. No. NT5E-435H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	NT5E, 27-252aa, Human, His tag, E.coli
Species	Human
Source	E.coli
ProteinLength	27-252 a.a.
Description	NT5E is a plasma membrane protein that catalyzes the conversion of extracellular nucleotides to membrane-permeable nucleosides. This protein is used as a determinant of lymphocyte differentiation. Defects in this gene can lead to the calcification of joints and arteries. Two transcript variants encoding different isoforms have been found for this gene. Recombinant human NT5E protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 10% glycerol, 1mM DTT
Molecular Mass	27.0 kDa (247aa)
AA Sequence	MGSSHHHHHH SSGLVPRGSH MWELTILHTN DVHSRLEQTS EDSSKCVNAS RCMGGVARLF TKVQQIRRAE PNVLLLDAGD QYQGTIWFTV YKGAEVAHFM NALRYDAMAL GNHEFDNGVE GLIEPLLKEA KFPILSANIK AKGPLASQIS GLYLPYKVLP VGDEVVGIVG YTSKETPFLS NPGTNLVFED EITALQPEVD

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

KLKTLNVNKI IALGHSGFEM DKLIAQKVRG VDVVVGHSN TFLYTGN

Purity >90% by SDS - PAGE

Storage Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.

Concentration 0.25 mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name [NT5E 5-nucleotidase, ecto \(CD73\) \[Homo sapiens \]](#)

Official Symbol NT5E

Synonyms NT5E; 5-nucleotidase, ecto (CD73); 5 nucleotidase (CD73) , NT5; 5-nucleotidase; CD73; eN; eNT; 5-NT; ecto-5-nucleotidase; Purine 5-Prime-Nucleotidase; NT; NT5; NTE; E5NT;

Gene ID [4907](#)

mRNA Refseq [NM_001204813](#)

Protein Refseq [NP_001191742](#)

MIM [129190](#)

UniProt ID [P21589](#)

Chromosome Location 6q14-q21

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

HIF-1-alpha transcription factor network, organism-specific biosystem; Metabolic pathways, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of nucleotides, organism-specific biosystem; Nicotinate and nicotinamide metabolism, organism-specific biosystem; Nicotinate and nicotinamide metabolism, conserved biosystem; Purine catabolism, organism-specific biosystem;

Function

5-nucleotidase activity; ferrous iron binding; hydrolase activity, acting on ester bonds; metal ion binding; nucleotide binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA