

Recombinant Human mannosyl (alpha-1,6-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase, His-tagged

Cat. No. MGAT2-517H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	MGAT2, 30-447aa Human, His tag, E.coli
Species	Human
Source	E.coli
ProteinLength	30-447 a.a.
Description	MGAT2 is a golgi enzyme catalyzing an essential step in the conversion of oligomannose to complex N-glycans. The enzyme has the typical glycosyltransferase domains: a short N-terminal cytoplasmic domain, a hydrophobic non-cleavable signal-anchor domain, and a C-terminal catalytic domain. Mutations in this gene may lead to carbohydrate-deficient glycoprotein syndrome, type II. Transcript variants with a spliced 5' UTR may exist, but their biological validity has not been determined. Recombinant human MGAT2 protein, fused to His-tag at N-terminus, was expressed in E.coli.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.4M Urea, 10% glycerol
Molecular Mass	50 kDa (439aa)
AA Sequence	MGSSHHHHHH SSGLVPRGSH MRQRKNEALA PLLDAEPAR GAGGRGGDHP SVAVGIRRVSV NVSAASLVPA VPQPEADNLT LRYRSLVYQL NFDQTLRNVD KAGTWAPREL VLVVQVHNRP EYLRLLLDL RKAQGIDNVL VIFSHDFWST

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

EINQLIAGVN FCPVLQVFFP FSIQLYPNEF PGSDPRDCPR DLPKNAALKL
GCINAEYPDS FGHYREAKFS QTKHHWWWKL HFVWERVKIL RDYAGLILFL
EEDHYLAPDF YHVFKKMWKL KQQECPECDV LSLGTYSASR SFYGMADKVD
VKTWKSTEHN MGLALTRNAY QKLICTDTF CTYDDYNWDW TLQYLTVSCL
PKFWKVLVPQ IPRIFHAGDC GMHHKKTCP STQSAQIESL LNNNKQYMFP
ETLTISEKFT VVAISPPRKN GGWGDIRDHE LCKSYRRLQ

Purity >85% by SDS - PAGE

Storage Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.

Concentration 1.0 mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name MGAT2?mannosyl (alpha-1,6-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase [?Homo sapiens?(human)]

Official Symbol MGAT2

Synonyms MGAT2; GNT2; CDG2A; CDGS2; GNT-II; GLCNACTII; mannosyl (alpha-1,6-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase; alpha-1,6-mannosyl-glycoprotein 2-beta-N-acetylglucosaminyltransferase; glcNAc-T II; mannoside acetylglucosaminyltransferase 2; Beta-1,2-N-acetylglucosaminyltransferase II; N-glycosyl-oligosaccharide-glycoprotein N-acetylglucosaminyltransferase II; UDP-N-acetylglucosamine:alpha-6-D-mannoside beta-1,2-N-acetylglucosaminyltransferase II; NP_002399.1; EC 2.4.1.143

Gene ID 4247

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_002408
Protein Refseq	NP_002399
MIM	602616
UniProt ID	Q10469
Chromosome Location	14q21
Pathway	Asparagine N-linked glycosylation; N-Glycan biosynthesis; Reactions specific to the complex N-glycan synthesis pathway
Function	alpha-1,6-mannosylglycoprotein 2-beta-N-acetylglucosaminyltransferase activity; carbohydrate binding

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA