

Active Recombinant Cynomolgus PDGFB protein(Ser82-Thr190), mFc-tagged

Cat. No. PDGFB-209C **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Cynomolgus PDGFB (EHH65851.1) (Ser82-Thr190) was expressed in HEK293 with the Fc region of Mouse IgG1 at the N-terminus.
Species	Cynomolgus
Source	HEK293
ProteinLength	Ser82-Thr190
Form	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
Bio-activity	1. Measured in a cell proliferation assay using Balb/c 3T3 mouse embryonic fibroblasts. The ED50 for this effect is typically 5-25 ng/ml. 2. Measured by its binding ability in a functional ELISA. Immobilized Cynomolgus PDGFRB-His at 10 µg/ml (100 µl/well) can bind Cynomolgus S4-mFc3-PDGFB, The EC50 of Cynomolgus S4-mFc3-PDGFB is 3.6-7.4 ng/ml.
Molecular Mass	The recombinant cynomolgus PDGFB is a disulfide-linked homodimer. The reduced monomer comprises 345 amino acids and has a calculated molecular mass of 38.9 KDa. The apparent molecular mass of it is approximately 43 and 32 KDa in SDS-PAGE.
Endotoxin	< 1.0 EU per

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	µg of the protein as determined by the LAL method.
Purity	> 95 % as determined by SDS-PAGE
Storage	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C. Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.