

Recombinant Human Insulin-like Growth Factor 1 Receptor, His-tagged, Active

Cat. No. IGF1R-330H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human IGF1R (960-end) was expressed by baculovirus in <i>Sf9</i> insect cell/s using an N-terminal His tag. MW = 53 kDa.
Species	Human
Source	Sf9 Cells
Protein Length	960-end a.a.
Description	IGF1R (Insulin-like Growth Factor 1) is a transmembrane tyrosine kinase receptor that is activated by IGF-1 and by the related growth factor IGF-2. IGF1R mediates the effects of IGF-1 and plays an important role in growth and anabolic effects in adults. The IGF1R is implicated in several cancers, most notably breast cancer where it is highly overexpressed and functions as an anti-apoptotic agent by enhancing cell survival. In many instances, the anti-apoptotic properties of IGF1R overexpression allows cancerous cells to resist the cytotoxic properties of chemotherapeutic drugs or radiotherapy.
Sequence	960-end.
Applications	Kinase Assay, Western Blot.
Storage And Stability	Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

performance, avoid repeated handling and multiple freeze/thaw cycles.

GENE INFORMATION

Gene Name IGF1R insulin-like growth factor 1 receptor [Homo sapiens]

Synonyms IGF1R; insulin-like growth factor 1 receptor; IGFR; CD221; IGFI; JTK13; MGC18216; MGC142170; MGC142172; soluble IGF1R variant 1; soluble IGF1R variant 2; EC 2.7.10.1; CD221; IGF-I receptor; CD221 antigen; Insulin-like growth factor 1 receptor alpha chain; Insulin-like growth factor 1 receptor beta chain

Gene ID 3480

mRNA Refseq NM_000875

Protein Refseq NP_000866

MIM 147370

UniProt ID P08069

Chromosome Location 15q26.3

Pathway Adherens junction; Colorectal cancer; Endocytosis; Focal adhesion; Glioma; Long-term depression; Melanoma; Pathways in cancer; Prostate cancer


Function ATP binding; identical protein binding; insulin binding; insulin receptor binding; insulin receptor substrate binding; insulin-like growth factor I binding; insulin-like growth factor receptor activity; nucleotide binding; phosphoinositide 3-kinase binding; receptor activity; transferase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**The first three
domains of insulin-
like growth factor 1
receptor. PDB
rendering based on
1igr.**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA