

Recombinant H3N2 NP, His-tagged

Cat. No. NP-428H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	A DNA sequence encoding the Influenza A virus (A/Aichi/2/1968(H3N2)) nucleoprotein (AEM60019.1) (Met1-Asn498) was expressed with a C-terminal polyhistidine tag.
Species	H3N2
Source	Insect Cells
ProteinLength	Met1-Asn498
Description	The viral particles of all influenza viruses are similar in composition. These are made of a viral envelope containing two main types of glycoproteins, wrapped around a central core. The central core contains the viral RNA genome and other viral proteins that package and protect it from nucleases. The influenza A genome contains 11 genes on eight pieces of RNA, encoding for 11 proteins: Hemagglutinin (HA), Neuraminidase (NA), Nucleoprotein (NP), M1, M2, NS1, NS2(NEP), PA, PB1, PB1-F2 and PB2. Influenza A virus nucleoprotein (NP) forms homooligomers and wrap around genomic RNA, along with a trimeric polymerase making up ribonucleoprotein (RNP) complex which serves as template for transcription and replication. NP is composed of a head and a body domain and a tail loop/ linker region. The head domain is more conserved than the body domain. NP oligomerization is mediated by the insertion of the non-polymorphic and structurally conserved tail loop of one NP molecule to a groove of another NP. The different form of NP oligomers is due to the flexibility of the polymorphic linkers that join the tail loop to the rest of the protein. NP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

comprises at least 2 nuclear localization signals and is responsible of the active RNP import into the nucleus through the cellular importin alpha/beta pathway. Viral proteins NEP, M1, M2 may be involved in the process of nucleus export of RNP in the infection cycle.

Form	Lyophilized from sterile PBS, pH7.4.
Molecular Mass	The recombinant nucleoprotein of Influenza A virus (A/Aichi/2/1968 (H3N2)) comprises 509 amino acids and has a predicted molecular mass of 57.6 kDa. The apparent molecular mass of the protein is approximately 54.4 kDa in SDS-PAGE under reducing conditions.
Endotoxin	< 1.0 eu per µg of the protein as determined by the LAL method.
Purity	>95 % as determined by SDS-PAGE
Stability	Samples are stable for up to twelve months from date of receipt at -70°C
Storage	Store it under sterile conditions at -70°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	Hardcopy of COA with reconstitution instruction is sent along with the products.

GENE INFORMATION

Gene Name	NP?nucleocapsid protein [?Influenza A virus (A/New York/392/2004(H3N2))]
Official Symbol	NP
Synonyms	NP; nucleocapsid protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	3655155
Protein Refseq	YP_308843
Chromosome Location	segment: segment 5