

Recombinant Human AMPK (combination of A2/B2/G1 subunits), GST-His-tagged

Cat. No. PRKAA2-43H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full-length human AMPK (combination of A2/B2/G1 subunits) was expressed by baculovirus in Sf9 insect cells using the N-terminal GST and C-terminal His tags.
Species	Human
Source	Sf9 Cells
Description	AMP-activated protein kinase (AMPK) exhibits a key role as a master regulator of cellular energy homeostasis. AMPK exists as a heterotrimeric complex composed of a catalytic alpha subunit and regulatory beta and gamma subunits. Binding of AMP to the gamma subunit allosterically activates the complex. AMPK is activated in response to stresses that deplete cellular ATP (low glucose, hypoxia and ischemia) and via signaling pathways in response to adiponectin, leptin and CAMKKbeta.
Form	50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Molecular Mass	~92kDa (A2), ~62kDa (B2), and ~68Da (G1)
Applications	Kinase Assay, Western Blot
Storage	Store product at -70oC. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

performance, avoid repeated handling and multiple freeze/thaw cycles.

GENE INFORMATION

Gene Name PRKAA2 protein kinase, AMP-activated, alpha 2 catalytic subunit [Homo sapiens]

Official Symbol PRKAA2

Synonyms PRKAA2; protein kinase, AMP-activated, alpha 2 catalytic subunit; PRKAA; 5-AMP-activated protein kinase catalytic subunit alpha-2; AMPK; AMPKa2; AMPK-alpha-2 chain; AMPK subunit alpha-2; 5-AMP-activated protein kinase, catalytic alpha-2 chain; AMPK2;

Gene ID 5563

mRNA Refseq NM_006252

Protein Refseq NP_006243

MIM 600497

UniProt ID P54646

Chromosome Location 1p31

Pathway AMPK inhibits chREBP transcriptional activation activity, organism-specific biosystem; AMPK signaling, organism-specific biosystem; Adipocytokine signaling pathway, organism-specific biosystem; Adipocytokine signaling pathway, conserved biosystem; Energy Metabolism, organism-specific biosystem; Energy dependent regulation of mTOR by LKB1-AMPK, organism-specific biosystem; Fatty acid, triacylglycerol, and

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

ketone body metabolism, organism-specific biosystem;

Function

AMP-activated protein kinase activity; AMP-activated protein kinase activity; ATP binding; chromatin binding; histone serine kinase activity; metal ion binding; nucleotide binding; protein binding; protein binding, bridging; protein kinase activity; protein serine/threonine kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA