

Recombinant Human ADH7, His-tagged

Cat. No. ADH7-3254H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Alcohol dehydrogenase class 4 mu/sigma chain (ADH7)
Species	Human
Source	E.Coli/Yeast
ProteinLength	386
Description	This gene encodes class IV alcohol dehydrogenase 7 mu or sigma subunit, which is a member of the alcohol dehydrogenase family. Members of this family metabolize a wide variety of substrates, including ethanol, retinol, other aliphatic alcohols, hydroxysteroids, and lipid peroxidation products. The enzyme encoded by this gene is inefficient in ethanol oxidation, but is the most active as a retinol dehydrogenase; thus it may participate in the synthesis of retinoic acid, a hormone important for cellular differentiation. The expression of this gene is much more abundant in stomach than liver, thus differing from the other known gene family members. Alternative splicing results in multiple transcript variants.
Form	This item requires custom production and lead time is between 5-9 weeks. We can custom produce according to your specifications.
Purity	>90%
Notes	Small volumes of ADH7 recombinant protein may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container's cap. Certain products may require to ship with dry ice.

Storage Store at -20 degree C. For extended storage, store at -20 or -80 degree C.

Storage Buffer PBS pH 7.4, 50% glycerol

Warning This product is for research use only. Not for use in diagnostic or therapeutic procedures.

GENE INFORMATION

Gene Name [ADH7 alcohol dehydrogenase 7 \(class IV\), mu or sigma polypeptide \[Homo sapiens \]](#)

Official Symbol ADH7

Synonyms ADH7; alcohol dehydrogenase 7 (class IV), mu or sigma polypeptide; alcohol dehydrogenase class 4 mu/sigma chain; ADH 4; retinol dehydrogenase; alcohol dehydrogenase-7; alcohol dehydrogenase VII; gastric alcohol dehydrogenase; class IV sigma-1 alcohol dehydrogenase; class IV sigmasigma alcohol dehydrogenase; alcohol dehydrogenase class IV mu/sigma chain; ADH4;

Gene ID [131](#)

mRNA Refseq [NM_000673](#)

Protein Refseq [NP_000664](#)

MIM [600086](#)

UniProt ID [P40394](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	4q23-q24
Pathway	Biological oxidations, organism-specific biosystem; Drug metabolism - cytochrome P450, organism-specific biosystem; Drug metabolism - cytochrome P450, conserved biosystem; Ethanol oxidation, organism-specific biosystem; Fatty Acid Omega Oxidation, organis
Function	alcohol dehydrogenase (NAD) activity; alcohol dehydrogenase activity, zinc-dependent; aldehyde oxidase activity; ethanol binding; metal ion binding; nucleotide binding; oxidoreductase activity; receptor antagonist activity; retinol binding; retinol dehydrogenase activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA