

Recombinant Human AXIN2, His-tagged

Cat. No. AXIN2-3796H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Axis Inhibition Protein 2 (AXIN2)
Species	Human
Source	E.coli
ProteinLength	843
Description	The Axin-related protein, Axin2, presumably plays an important role in the regulation of the stability of beta-catenin in the Wnt signaling pathway, like its rodent homologs, mouse conductin/rat axil. In mouse, conductin organizes a multiprotein complex of APC (adenomatous polyposis of the colon), beta-catenin, glycogen synthase kinase 3-beta, and conductin, which leads to the degradation of beta-catenin. Apparently, the deregulation of beta-catenin is an important event in the genesis of a number of malignancies. The AXIN2 gene has been mapped to 17q23-q24, a region that shows frequent loss of heterozygosity in breast cancer, neuroblastoma, and other tumors. Mutations in this gene have been associated with colorectal cancer with defective mismatch repair.
Form	Supplied as lyophilized form in PBS,pH7.4, containing 5% sucrose, 0.01% sarcosyl.
Molecular Mass	32.7kDa
Endotoxin	<1.0eu per 1ug (determined by the lal</1.0eu

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>95%
Applications	SDS-PAGE, Western Blot (WB), ELISA (EIA), Immunoprecipitation (IP)
Notes	Small volumes of AXIN2 recombinant protein may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container's cap. Certain products may require to ship with dry ice.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 degree C for one month. Aliquot and store at -80 degree C for 12 months. Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.
Reconstitution	Reconstitute in sterile PBS, pH7.2-pH7.4.
Warning	This product is for research use only. Not for use in diagnostic or therapeutic procedures.

GENE INFORMATION

Gene Name	AXIN2 axin 2 [Homo sapiens]
Official Symbol	AXIN2
Synonyms	AXIN2; axin 2; axin-2; axil; conductin; DKFZp781B0869; MGC126582; axin-like protein; axis inhibition protein 2; AXIL; MGC10366;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	8313
mRNA Refseq	NM_004655
Protein Refseq	NP_004646
MIM	604025
UniProt ID	Q9Y2T1
Chromosome Location	17q23-q24
Pathway	Basal cell carcinoma, organism-specific biosystem; Basal cell carcinoma, conserved biosystem; Canonical Wnt signaling pathway, organism-specific biosystem; Colorectal cancer, organism-specific biosystem; Colorectal cancer, conserved biosystem; Endometrial
Function	GTPase activator activity; I-SMAD binding; armadillo repeat domain binding; beta-catenin binding; beta-catenin binding; enzyme binding; protein kinase binding; signal transducer activity; ubiquitin protein ligase binding;