

Active Recombinant Mouse IL9, MlgG2a Fc-tagged, mutant

Cat. No. IL9-001M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of mouse IL-9 (NP_032399.1)(Gln19-Pro144) is fused to the N-terminus of the Fc region of mutant mouse IgG2a was expressed in CHO cell.
Species	Mouse
Source	CHO
ProteinLength	19-144 a.a.
Description	The protein encoded by this gene is a cytokine that acts as a regulator of a variety of hematopoietic cells. This cytokine stimulates cell proliferation and prevents apoptosis. It functions through the interleukin 9 receptor (IL9R), which activates different signal transducer and activator (STAT) proteins and thus connects this cytokine to various biological processes. The gene encoding this cytokine has been identified as a candidate gene for asthma. Genetic studies on a mouse model of asthma demonstrated that this cytokine is a determining factor in the pathogenesis of bronchial hyperresponsiveness.
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured in a cell proliferation assay.
Molecular Mass	40KDa (monomer)
AA Sequence	Gln19-Pro144)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	<0.06 eu/μg="" as="" determined="" by="" la="" test="">
Purity	>98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
Reconstitution	Reconstitute at 100μg/ml in sterile PBS.
Warning	Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name	IL9 interleukin 9 [<i>Mus musculus</i>]
Official Symbol	IL9
Synonyms	IL9; interleukin 9; interleukin-9; cytokine P40; T-cell growth factor P40; P40; IL-9;
Gene ID	16198
mRNA Refseq	NM_008373
Protein Refseq	NP_032399
Pathway	Asthma, organism-specific biosystem; Asthma, conserved biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; IL-9 Signaling Pathway, organism-specific biosystem; Jak-STAT signaling pathway, organism-specific biosystem; Jak-STAT signaling pathway, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

cytokine activity; cytokine receptor binding; growth factor activity; interleukin-9 receptor binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA