

Recombinant Human TNFRSF13C Protein, Fc-tagged

Cat. No. TNFRSF13C-098H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human TNFRSF13C protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	184
Description	B cell-activating factor (BAFF) enhances B-cell survival in vitro and is a regulator of the peripheral B-cell population. Overexpression of Baff in mice results in mature B-cell hyperplasia and symptoms of systemic lupus erythematosus (SLE). Also, some SLE patients have increased levels of BAFF in serum. Therefore, it has been proposed that abnormally high levels of BAFF may contribute to the pathogenesis of autoimmune diseases by enhancing the survival of autoreactive B cells. The protein encoded by this gene is a receptor for BAFF and is a type III transmembrane protein containing a single extracellular cysteine-rich domain. It is thought that this receptor is the principal receptor required for BAFF-mediated mature B-cell survival.
Form	Lyophilized
Molecular Mass	33.2 kDa
AA Sequence	MRRGPRSLRGRDAPAPTPCVPAECFDLLVRHCVACGLLRTPRPKPAGASSPAPRT ALQPQESVGAGAGEAALPLPGLLFGAPALLGLALVLALVLVGLVSWRRRQRRRLGA SSAEAPDGDKDAPEPLDKVILSPGISDATAPAWPPPGEDPGTTPPGHVSVPVPATEL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	GSTELVTTKTAGPEQQ
Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	TNFRSF13C tumor necrosis factor receptor superfamily, member 13C [Homo sapiens (human)]
Official Symbol	TNFRSF13C
Synonyms	TNFRSF13C; tumor necrosis factor receptor superfamily, member 13C; tumor necrosis factor receptor superfamily member 13C; BAFFR; CD268; BAFF receptor; BLyS receptor 3; B cell-activating factor receptor; B-cell-activating factor receptor;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

CVID4; BAFF-R; BROMIX; prolixin; MGC138235;

Gene ID 115650**mRNA Refseq** NM_052945**Protein Refseq** NP_443177**MIM** 606269**UniProt ID** Q96RJ3 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA