

Recombinant Human CD14 Protein, Fc-tagged

Cat. No. CD14-124H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human CD14 protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	375
Description	The protein encoded by this gene is a surface antigen that is preferentially expressed on monocytes/macrophages. It cooperates with other proteins to mediate the innate immune response to bacterial lipopolysaccharide, and to viruses. This gene has been identified as a target candidate in the treatment of SARS-CoV-2-infected patients to potentially lessen or inhibit a severe inflammatory response. Alternative splicing results in multiple transcript variants encoding the same protein.
Form	Lyophilized
Molecular Mass	62.4 kDa
AA Sequence	MERASCLLLLLPLVHVSATTPEPCELDDEDFRCVCNFSEPQPDWSEAFQCVSAVE VEIHAGGLNLEPFLKRVDADADPRQYADTVKALRVRRLLTVGAAQVPAQLLVGALRVL AYSRLKELTLEDLKITGTMPPLEATGLALSSLRLRNVSATGRSWLAELQQWLKP GLKVLSIAQAHSPAFCSEQVRAFPALTSLDSDNPGLGERGLMAALCPHKFPAIQNL ALRNTGMETPTGVCAALAAAGVQPHSLDLSHNSLRATVNPSAPRCMWSSALNSLNL SFAGLEQVPKGLPAKLRVLDLSCNRLNRAPQPDELPEVDNLTLDGNPFLVPGTALPH

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	EGSMNSGVVPACARSTLSVGVSGLVLLQGARGFA
Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	CD14 CD14 molecule [Homo sapiens (human)]
Official Symbol	CD14
Synonyms	CD14; CD14 molecule; CD14 antigen; monocyte differentiation antigen CD14; myeloid cell-specific leucine-rich glycoprotein;
Gene ID	929

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_000591
Protein Refseq	NP_000582
MIM	158120
UniProt ID	P08571

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA