

Recombinant Human CD4 Protein, His-tagged

Cat. No. CD4-156H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human CD4 protein with His tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	458
Description	This gene encodes the CD4 membrane glycoprotein of T lymphocytes. The CD4 antigen acts as a coreceptor with the T-cell receptor on the T lymphocyte to recognize antigens displayed by an antigen presenting cell in the context of class II MHC molecules. The CD4 antigen is also a primary receptor for entry of the human immunodeficiency virus through interactions with the HIV Env gp120 subunit. This gene is expressed not only in T lymphocytes, but also in B cells, macrophages, granulocytes, as well as in various regions of the brain. The protein functions to initiate or augment the early phase of T-cell activation, and may function as an important mediator of indirect neuronal damage in infectious and immune-mediated diseases of the central nervous system. Multiple alternatively spliced transcript variants encoding different isoforms have been identified in this gene.
Form	Lyophilized
Molecular Mass	41.5 kDa
AA Sequence	MNRGVPFRHLLLVLQLALLPAATQGKKVVLGKKGDTVELTCTASQKKSIQFHWKNS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

NQIKILGNQGSFLT KGPSKLNDRADSRRLWDQGNFPLIKNLKIEDSDTYICEVEDQ
KEEVQLLVFGLTANS DTHLLQGQSLTLTLESPPGSSPSVQCRSPRGKNIQGGKTL SV
SQLELQDSGTWTCTVLQNQKKVEFKIDIVVLA FQKASSIVYKKEGEQVEFSFPLAFTV
EKLTGSGELWWQAERASSSKSWITFDLKNKEVSVKRVTQDPKLQMGKKLPLHLTLP
QALPQYAGSGNLTAL EAKTGKLGHEVNLVVMRATQLQKNLTCEVWGPTSPKLM LS
LKLENKEAKVSKREKAVWVLNPEAGMWQCLLSDSGQVLLESNIKVLPTWSTPVQPM
ALIVLGGVAGLLLFI GLGIFFCVRCRHRRRQAERMSQIKRLLSEKKTCCPHRFQKTC
SPI

Purity > 98%

Applications WB; ELISA; FACS; FC

Stability This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.

Storage At -20 centigrade.

Concentration 1 mg/mL

Storage Buffer PBS (pH 7.4-7.5). Sterile-filtered colorless solution.

Reconstitution Reconstitute in sterile distilled H₂O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name CD4 CD4 molecule [Homo sapiens (human)]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	CD4
Synonyms	CD4; CD4 molecule; CD4 antigen (p55) , T cell surface glycoprotein CD4; T-cell surface glycoprotein CD4; CD4 receptor; CD4 antigen (p55); T-cell surface antigen T4/Leu-3; CD4mut;
Gene ID	920
mRNA Refseq	NM_000616
Protein Refseq	NP_000607
MIM	186940
UniProt ID	P01730

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA