

Recombinant Human TNFRSF21 Protein, Fc-tagged

Cat. No. TNFRSF21-206H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human TNFRSF21 protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	655
Description	This gene encodes a member of the tumor necrosis factor receptor superfamily. The encoded protein activates nuclear factor kappa-B and mitogen-activated protein kinase 8 (also called c-Jun N-terminal kinase 1), and induces cell apoptosis. Through its death domain, the encoded receptor interacts with tumor necrosis factor receptor type 1-associated death domain (TRADD) protein, which is known to mediate signal transduction of tumor necrosis factor receptors. Knockout studies in mice suggest that this gene plays a role in T-helper cell activation, and may be involved in inflammation and immune regulation.
Form	Lyophilized
Molecular Mass	60.2 kDa
AA Sequence	MGTSPPSSSTALASCSRIARRATATMIAGSLLLLGFLSTTTAQPEQKASNLIGTYRHYD RATGQVLTCDKCPAGTYVSEHCTNTSLRVCSSCPVGTFTRHENGIEKCHDCSQPCP WPMIEKLPCAALTDRECTCPPGMFQSNATCAPHTVCPVGWGVRRKGTETEDVRCK QCARGTFSDVPSSVMKCKAYTDCLSQNLVVIKPGTKETDNVCGTLPSFSSSTSPSP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GTAIFPRPEHMETHEVPSSTYVPKGMNSTESNSSASVRPKVLSSIQEGTVPDNTSSA
 RGKEDVNKTLPNLQVVNHQQGPHHRHILKLLPSMEATGGEKSSTPIKGPKRGHPRQ
 NLHKHFDINEHLPWMIVLFLLLVLVVIVVCSIRKSSRTLKKGPRQDPSAIVEKAGLKKS
 MTPTQNREKWIYYCNGHGIDILKLVAQVGSQWKDIYQFLCNASEREVAAFSNGYT
 ADHERAYAALQHWTIRGPEASLAQLISALRQHRRNDVVEKIRGLMEDTTQLETDKLA
 LPMSPSPSPSPSPNAKLENSALLTVEPSPQDKNKGFFVDESEPLLRCSTSSGS
 SALSRRNGSFITKEKKDTVLRQVRLDPCDLQPIFDDMLHFLNPEELRVIEEIPQAEDKL
 DRLFELIGVKSQEASQTLLDSVYSHLPDLL

Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H ₂ O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	TNFRSF21 tumor necrosis factor receptor superfamily, member 21 [Homo sapiens
------------------	---

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	(human)]
Official Symbol	TNFRSF21
Synonyms	TNFRSF21; tumor necrosis factor receptor superfamily, member 21; tumor necrosis factor receptor superfamily member 21; CD358; death receptor 6; DR6; TNFR-related death receptor 6; BM-018; MGC31965;
Gene ID	27242
mRNA Refseq	NM_014452
Protein Refseq	NP_055267
MIM	605732
UniProt ID	O75509

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA