

Recombinant Human LILRB4 Protein, Fc-tagged

Cat. No. LILRB4-360H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human LILRB4 protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	448
Description	This gene is a member of the leukocyte immunoglobulin-like receptor (LIR) family, which is found in a gene cluster at chromosomal region 19q13.4. The encoded protein belongs to the subfamily B class of LIR receptors which contain two or four extracellular immunoglobulin domains, a transmembrane domain, and two to four cytoplasmic immunoreceptor tyrosine-based inhibitory motifs (ITIMs). The receptor is expressed on immune cells where it binds to MHC class I molecules on antigen-presenting cells and transduces a negative signal that inhibits stimulation of an immune response. The receptor can also function in antigen capture and presentation. It is thought to control inflammatory responses and cytotoxicity to help focus the immune response and limit autoreactivity. Multiple transcript variants encoding different isoforms have been found for this gene.
Form	Lyophilized
Molecular Mass	52.9 kDa
AA Sequence	MIPTFTALLCLGLSLGPRTHMQAGPLPKPTLWAEPGSVISWGNSVTIWCQGTLEARE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

YRLDKEESPAPWDRQNPKEPKNKARFSIPSMTEYAGRYRCYYRSPVGWSQPSPD
 LELVMTGAYSKPTLSALPSPLVTSGKSVTLLCQSRSPMDTFLLIKERAAHPLLHLRSE
 HGAQQHQAEEFPMSPVTSVHGGTYRCFSSHGFSHYLLSHPSDPLELIVSGSLEDPRP
 SPTRSVSTAAGPEDQPLMPTGSPHSGLRHWEVLIGVLVVSILLLSLLLFLLLQHW
 RQGKHRTLAQRQADFQRPPGAAEPEPKDGGGLQRRSSPAADVQGENFCAAVKNTQ
 PEDGVEMDTRQSPHDEDPQAVTYAKVKHSRPRREMASPPSPLSGEFLDTKDRQAE
 EDRQMDTEAAASEAPQDVTYAQLHSFTLRQKATEPPPSQEGASPAEPSVYATLAIH

Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H ₂ O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	LILRB4 leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 4 [Homo sapiens (human)]
------------------	--

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	LILRB4
Synonyms	HM18; ILT3; LIR5; CD85K; LIR-5; LILRB5
Gene ID	11006
mRNA Refseq	NM_006847
Protein Refseq	NP_006838
MIM	604821
UniProt ID	Q8NHJ6

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA