

Active Recombinant Human Decorin, HlgG1 Fc-tagged, mutant

Cat. No. DCN-1701H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of human Decorin (AAH05322.1)(Pro18-Lys359) is fused to the N-terminus of the Fc region of a mutant human IgG1 was expressed in CHO cell.
Species	Human
Source	CHO
ProteinLength	18-359 a.a.
Description	The protein encoded by this gene is a small cellular or pericellular matrix proteoglycan that is closely related in structure to biglycan protein. The encoded protein and biglycan are thought to be the result of a gene duplication. This protein is a component of connective tissue, binds to type I collagen fibrils, and plays a role in matrix assembly. It contains one attached glycosaminoglycan chain. This protein is capable of suppressing the growth of various tumor cell lines. There are multiple alternatively spliced transcript variants known for this gene. This gene is a candidate gene for Marfan syndrome.
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured by its ability to modulate collagen fibrillogenesis.
Molecular Mass	64kDa (monomer)
AA Sequence	Pro18-Lys359

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	≤0.06EU/μg as determined by LAL test.
Purity	≥98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
Reconstitution	Reconstitute at 100μg/ml in sterile PBS.
Warning	Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name	Decorin
Official Symbol	Decorin
Synonyms	DCN; CSCD; DSPG2; PG40; PGII; PGS2; SLRR1B
Gene ID	1634
mRNA Refseq	NM_001920
Protein Refseq	NP_001911
MIM	125255
UniProt ID	P07585
Chromosome Location	12q21.33

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	A tetrasaccharide linker sequence is required for GAG synthesis, organism-specific biosystem ;Chondroitin sulfate biosynthesis, organism-specific biosystem
Function	collagen binding,extracellular matrix binding,glycosaminoglycan binding,poly(A) RNA binding,protein N-terminus binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA