

Recombinant Human IL24 Protein

Cat. No. IL24-510H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human IL24 protein
Species	Human
ProteinLength	163
Description	This gene encodes a member of the IL10 family of cytokines. It was identified as a gene induced during terminal differentiation in melanoma cells. The protein encoded by this gene can induce apoptosis selectively in various cancer cells. Overexpression of this gene leads to elevated expression of several GADD family genes, which correlates with the induction of apoptosis. The phosphorylation of mitogen-activated protein kinase 14 (MAPK7/P38), and heat shock 27kDa protein 1 (HSPB2/HSP27) are found to be induced by this gene in melanoma cells, but not in normal immortal melanocytes. Alternatively spliced transcript variants encoding distinct isoforms have been reported.
Form	Lyophilized
AA Sequence	MTVKTLHGPMVKYLLLSILGLAFLSEAAARKIPKVGHTFFQKPESCPPVPGGSMKL DIGIINENQRVSMRNIESRSTSPWNYTVTWDPNRYPSEVVQAQCRNLGCINAQGK EDISMNSVPIQQETLVVRRKHQGCSVSFQLEKVLVTVGCTCVTPVIHHVQ
Purity	> 98%
Applications	WB; ELISA; FACS; FC

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	IL24 interleukin 24 [Homo sapiens (human)]
Official Symbol	IL24
Synonyms	IL24; interleukin 24; ST16; interleukin-24; C49A; FISP; IL 4 induced secreted protein; IL 24; IL10B; mda 7; melanoma differentiation association protein 7; Mob 5; suppression of tumorigenicity 16 (melanoma differentiation); melanocyte-associated Mda-7; IL-4-induced secreted protein; melanoma differentiation-associated gene 7 protein; MDA7; MOB5;
Gene ID	11009
mRNA Refseq	NM_001185156
Protein Refseq	NP_001172085

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	604136
-----	--------

UniProt ID	Q13007
------------	--------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA