

Recombinant Human CD276 Protein, Fc-tagged

Cat. No. CD276-600H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human CD276 protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	534
Description	The protein encoded by this gene belongs to the immunoglobulin superfamily, and thought to participate in the regulation of T-cell-mediated immune response. Studies show that while the transcript of this gene is ubiquitously expressed in normal tissues and solid tumors, the protein is preferentially expressed only in tumor tissues. Additionally, it was observed that the 3' UTR of this transcript contains a target site for miR29 microRNA, and there is an inverse correlation between the expression of this protein and miR29 levels, suggesting regulation of expression of this gene product by miR29. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
Form	Lyophilized
Molecular Mass	50 kDa
AA Sequence	MLRRRGSPGMGVHVGAAALGALWFCLTGALEVQVPEDPVVALVGTDATLCCSFSP PGFSLAQLNLIWQLTDTKQLVHSFAEGQDQGSAYANRTALFPDLLAQGNASRLRQR VRVADEGSFTCFVSIRDFFGSAAVSLQVAAPYSKPSMTLEPNKDLRPGDVTITCSSY

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

QGYPEAEVFWQDGQGVPLTGNVTTSQMANEQGLFDVHSILRVVLGANGTYSCLVR
 NPVLQQDAHSSVTITPQRSPTGAVEVQVPEDPVVALVGTDLRCSFSPEPGFSLA
 QLNLIWQLTDTKQLVHSFTEGRDQGSAYANRTALFPDLLAQGNASLRLQVRVVADE
 GSFTCFVSIRDFGSAAVSLQVAAPYSKPSMTLEPNKDLRPGDVTITCSSYRGYPEA
 EVFWQDGQGVPLTGNVTTSQMANEQGLFDVHSVLRVVLGANGTYSCLVRNPVLQQ
 DAHGSVTITGQPMTFPPEALWWTVGLSVCLIALVALAFVCWRKIKQSCEEENAGAE
 DQDGEGEKSKTALQPLKHSDSKEDDGQEIA

Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H ₂ O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name CD276 CD276 molecule [Homo sapiens (human)]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	CD276
Synonyms	CD276; CD276 molecule; CD276 antigen; B7 H3; B7H3; B7RP 2; B7 homolog 3; costimulatory molecule; B7-H3; B7RP-2; 4lg-B7-H3;
Gene ID	80381
mRNA Refseq	NM_001024736
Protein Refseq	NP_001019907
MIM	605715
UniProt ID	Q5ZPR3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA