

Recombinant Human CD226 Protein, Fc-tagged

Cat. No. CD226-659H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human CD226 protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	336
Description	This gene encodes a glycoprotein expressed on the surface of NK cells, platelets, monocytes and a subset of T cells. It is a member of the Ig-superfamily containing 2 Ig-like domains of the V-set. The protein mediates cellular adhesion of platelets and megakaryocytic cells to vascular endothelial cells. The protein also plays a role in megakaryocytic cell maturation. Alternative splicing results in multiple transcript variants.
Form	Lyophilized
Molecular Mass	52.6 kDa
AA Sequence	MDYPTLLLALLHVYRALCEEVLWHTSVPFAENMSLECVYPSMGILTQVEWFKIGTQQ DSIAIFSPTHGMVIRKPYAERVYFLNSTMASNNMTLFFRNASEDDVGYYSCSLYTYP QGTWQKVIQVVQSDSFEAAVPSNSHIVSEPGKNVTLTCQPQMTWPVQAVRWEKIQ PRQIDLLTYCNLVHGRNFTSKFPRQIVSNCSHGRWSVIVIPDVTVS DSGLYRCYLQA SAGENETFVMRLTVAEGKTDNQYTLFVAGGTVLLLLFVISITTIIVIFLNRRRRRRERDL FTESWDTQKAPNNYRSPISTSQPTNQSMDDTREDIYVNYPTFSRRPKTRV

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	CD226 CD226 molecule [Homo sapiens (human)]
Official Symbol	CD226
Synonyms	CD226; CD226 molecule; CD226 antigen; DNAM 1; DNAM1; PTA1; TLISA1; adhesion glycoprotein; DNAX accessory molecule 1; DNAX accessory molecule-1; platelet and T cell activation antigen 1; T lineage-specific activation antigen 1 antigen; DNAM-1;
Gene ID	10666

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_006566
Protein Refseq	NP_006557
MIM	605397
UniProt ID	Q15762

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA