

Recombinant Mouse CD274 Protein, IgG2a Fc-tagged

Cat. No. CD274-714M Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse CD274 Protein, was expressed in HEK293 with mouse IgG2a Fc tag.
Species	Mouse
Source	HEK293
ProteinLength	290
Description	The protein encoded by this gene is an immune inhibitory receptor ligand that is expressed by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types of tumor cells. The encoded protein is a type I transmembrane protein that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Mice deficient for this gene display a variety of phenotypes including decreased allogeneic fetal survival rates and severe experimental autoimmune encephalomyelitis.
Form	Lyophilized
Molecular Mass	51.8 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	MRIFAGIIFTACCHLLRAFTITAPKDLYVVEYGSNVTMECRFPVERELDLLALVYWEK EDEQVIQFVAGEEDLKPQHSNFRGRASLPKDQLKGNAAALQITDVKLQDAGVYCCII SYGGADYKRITLKVNPYRKINQRISVDPATSEHELICQAEGYPEAEVIWTNSDHQPV SGKRSVTTSRTEGMLLNVTSSLRVNATANDVFYCTFWRSQPGQNHTAELIPELPAT HPPQNRTHWVLLGSILLFLIVVSTVLLFLRKQVRMLDVEKCGVEDTSSKNRNDTQFE ET
Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	Cd274 CD274 antigen [<i>Mus musculus</i> (house mouse)]
Official Symbol	CD274

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	CD274; CD274 antigen; programmed cell death 1 ligand 1; B7 homolog 1; PDCD1 ligand 1; programmed death ligand 1; B7h1; Pdl1; Pdc1l1; Pdc1lg1; A530045L16Rik;
Gene ID	60533
mRNA Refseq	NM_021893
Protein Refseq	NP_068693
UniProt ID	Q9EP73

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA