

Recombinant Rhesus macaque TFPI Protein

Cat. No. TFPI-753R **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Rhesus macaque TFPI protein without tag was expressed in HEK293.
Species	Rhesus macaque
Source	HEK293
ProteinLength	304
Description	This gene encodes a Kunitz-type serine protease inhibitor that regulates the tissue factor (TF)-dependent pathway of blood coagulation. The coagulation process initiates with the formation of a factor VIIa-TF complex, which proteolytically activates additional proteases (factors IX and X) and ultimately leads to the formation of a fibrin clot. The product of this gene inhibits the activated factor X and VIIa-TF proteases in an autoregulatory loop. Inhibition of the encoded protein restores hemostasis in animal models of hemophilia. This gene encodes multiple protein isoforms that differ in their inhibitory activity, specificity and cellular localization.
Form	Lyophilized
Molecular Mass	31.1 kDa
AA Sequence	MIYTMKKVHALWVSICLMLNLAPAPLNADSEEDDEEYTIITDTELPPLKLMHSFCAFKP DDGPCKAIMKRFFFFNIFTRQCEEFIYGGCGGNQNRFESMEECKKVCTRDNVHRIQT ALQKEKPDFCFLEEDPGICRGYITRYFYNNQSKQCERFKYGGCLGNMNNFETLEEC KNTCEDGLNGFQVDNYGTQLNAVNSQTPQSTKVPSSFEFHGPSWCLAPADRGLC

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	RANENRFYYNSVIGKCRPFKYSGCGGNENNFTSKRECLRACKKGFIQRISKGGLIKT KRKRKKQRVKIAEYEEVFVKNM
Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	TFPI tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor) [<i>Macaca mulatta</i> (Rhesus monkey)]
Official Symbol	TFPI
Synonyms	TFPI; tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor); tissue factor pathway inhibitor; extrinsic pathway inhibitor; lipoprotein-associated

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

coagulation inhibitor; EPI; LACI;

Gene ID 613026**mRNA Refseq** NM_001195022**Protein Refseq** NP_001181951**UniProt ID** Q28864 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA