

Active Recombinant Mouse Chemokine (C-X-C motif) Ligand 3, HlgG1 Fc-tagged, mutant

Cat. No. CXCL3-234H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of human CXCL3 (AAH16308.1)(Ala35-Asn107) is fused to the N-terminus of the Fc region of a mutant human IgG1 was expressed in CHO cell.
Species	Human
Source	CHO
ProteinLength	35-107 a.a.
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured by its ability to induce myeloperoxidase.
Molecular Mass	34KDa (monomer)
AA Sequence	Ala35-Asn107
Endotoxin	<0.06 eu/µg="" as="" determined="" by="" la="">
Purity	>98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Reconstitution Reconstitute at 100µg/ml in sterile PBS.

Warning Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name CXCL3 chemokine (C-X-C motif) ligand 3 [Homo sapiens]

Official Symbol CXCL3

Synonyms CXCL3; chemokine (C-X-C motif) ligand 3; GRO3, GRO3 oncogene; C-X-C motif chemokine 3; CINC 2b; GROg; MIP 2b; SCYB3; GRO-gamma; MIP2-beta; MGSA gamma; GRO3 oncogene; GRO-gamma(1-73); growth-regulated protein gamma; macrophage inflammatory protein 2-beta; melanoma growth stimulatory activity gamma; GRO3; MIP2B; MIP-2b; CINC-2b;

Gene ID 2921

mRNA Refseq NM_002090

Protein Refseq NP_002081

MIM 139111

UniProt ID P19876

Chromosome Location 4q21

Pathway Chemokine receptors bind chemokines, organism-specific biosystem; Chemokine signaling pathway, organism-specific biosystem; Chemokine signaling pathway,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

conserved biosystem; Class A/1 (Rhodopsin-like receptors), organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; G alpha (i) signalling events, organism-specific biosystem;

Function

chemokine activity;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA