

Recombinant Full length Human Protein Kinase C, Delta, GST-tagged, Active

Cat. No. PRKCD-401H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human full-length PKCdelta was expressed by baculovirus in Sf9 cell using an N-terminal GST tag. MW=104 kDa.
Species	Human
Source	Sf9 Cells
Protein Length	1-676 a.a.
Description	Protein kinase C delta (PKCδ) is a member of the protein kinase C (PKC) family of serine-threonine kinases. It is a 79 kd protein kinase that shows strict dependence on the presence of phospholipids, but shows no activation by Ca ²⁺ . Phosphatidylinositol is the most potent activator of PKC delta. Northern blot analysis indicated that PKCdelta is widely distributed in almost all the tissues and is a major isoform of PKC expressed in hemopoietic cells. PKCdelta is involved in fundamental cellular functions regulated by diacylglycerols and mimicked by phorbol esters.
Sequence	Full-length.
Applications	Kinase Assay, Western Blot.
Storage And Stability	Store product at –70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Bio-activity 350nmol/min/mg

GENE INFORMATION

Gene Name PRKCD protein kinase C, delta [Homo sapiens]

Synonyms PRKCD; protein kinase C, delta; MAY1; PKCD; MGC49908; nPKC-delta; Protein kinase C delta type; EC 2.7.11.13; protein kinase C delta VIII

Gene ID 5580

mRNA Refseq NM_006254

Protein Refseq NP_006245

UniProt ID Q05655

Chromosome Location 3p21.31

MIM 176977

Pathway Chemokine signaling pathway; Fc epsilon RI signaling pathway; Fc gamma R-mediated phagocytosis; GnRH signaling pathway; Neurotrophin signaling pathway; Tight junction; Type II diabetes mellitus; Vascular smooth muscle contraction; Apoptosis; Signalling by NGF


Function ATP binding; calcium-independent protein kinase C activity; enzyme activator activity; enzyme binding; insulin receptor substrate binding; metal ion binding; nucleotide binding; protein C-terminus binding; transferase activity; zinc ion binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PDB rendering based
on 1bdy.



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA