

Active Recombinant Human IL28A, MIgG2a Fc-tagged

Cat. No. IL28A-311H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of human IL-28A (AAI13582.1) (Val26-Val200) is fused to the N-terminus of the Fc region of mouse IgG2a was expressed in CHO cell.
Species	Human
Source	CHO
ProteinLength	26-200 a.a.
Description	This gene encodes a cytokine distantly related to type I interferons and the IL-10 family. This gene, interleukin 28B (IL28B), and interleukin 29 (IL29) are three closely related cytokine genes that form a cytokine gene cluster on a chromosomal region mapped to 19q13. Expression of the cytokines encoded by the three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that consists of interleukin 10 receptor, beta (IL10RB) and interleukin 28 receptor, alpha (IL28RA)
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured in an anti-viral assay.
Molecular Mass	46KDa (monomer)
AA Sequence	Val26-Val200

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	<0.06 eu/μg="" as="" determined="" by="" lal="" test="">
Purity	>98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
Reconstitution	Reconstitute at 100μg/ml in sterile PBS.
Warning	Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name	IL28A interleukin 28A (interferon, lambda 2) [Homo sapiens]
Official Symbol	IL28A
Synonyms	IL28A; interleukin 28A (interferon, lambda 2); interleukin 28A; interleukin-28A; IFNL2; IL 28A; IFN-lambda-2; cytokine Zcyto20; interferon lambda 2; interferon lambda-2; interferon-lambda 2; IL-28A;
Gene ID	282616
mRNA Refseq	NM_172138
Protein Refseq	NP_742150
MIM	607401
UniProt ID	Q8IZJ0

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	19q13.13
Pathway	Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Jak-STAT signaling pathway, organism-specific biosystem; Jak-STAT signaling pathway, conserved biosystem;
Function	cytokine activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA