

Active Recombinant Human interleukin 17B, HIgG1 Fc-tagged, mutant

Cat. No. IL17B-316H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of human IL-17B(AAI13926.1)(Gln21-Phe180) is fused to the N-terminus of the Fc region of a mutant human IgG1 was expressed in CHO cell.
Species	Human
Source	CHO
ProteinLength	21-180 a.a.
Description	The protein encoded by this gene is a T cell-derived cytokine that shares sequence similarity with IL17. This cytokine was reported to stimulate the release of TNF alpha (TNF) and IL1 beta (IL1B) from a monocytic cell line. Immunohistochemical analysis of several nerve tissues indicated that this cytokine is primarily localized to neuronal cell bodies
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured by its ability to induce IL-8 secretion.
Molecular Mass	44KDa (monomer)
AA Sequence	Gln21-Phe180
Endotoxin	<0.06 eu/µg="" as="" determined="" by="" la="" test="">

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
Reconstitution	Reconstitute at 100µg/ml in sterile PBS.
Warning	Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name	IL17B interleukin 17B [Homo sapiens]
Official Symbol	IL17B
Synonyms	IL17B; interleukin 17B; interleukin-17B; IL 17B; IL 20; MGC138900; MGC138901; neuronal interleukin 17 related factor; NIRF; ZCYTO7; interleukin 20; interleukin-20; cytokine Zcyto7; interleukin-17 beta; cytokine-like protein ZCYTO7; neuronal interleukin-17 related factor; neuronal interleukin-17-related factor; IL-20; IL-17B;
Gene ID	27190
mRNA Refseq	NM_014443
Protein Refseq	NP_055258
MIM	604627
UniProt ID	Q9UHF5
Chromosome	5q33.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem;
Function	cytokine activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA