

Active Recombinant Mouse TNFRSF25, MIgG2a Fc-tagged

Cat. No. TNFRSF25-300M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of mouse DR3 (AAK11256.1) (Gln33-Gln197) is fused to the N-terminus of the Fc region of mouse IgG2a was expressed in CHO cell
Species	Mouse
Source	CHO
ProteinLength	33-197 a.a.
Description	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed preferentially in the tissues enriched in lymphocytes, and it may play a role in regulating lymphocyte homeostasis. This receptor has been shown to stimulate NF-kappa B activity and regulate cell apoptosis. The signal transduction of this receptor is mediated by various death domain containing adaptor proteins. Knockout studies in mice suggested the role of this gene in the removal of self-reactive T cells in the thymus. Multiple alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported, most of which are potentially secreted molecules. The alternative splicing of this gene in B and T cells encounters a programmed change upon T-cell activation, which predominantly produces full-length, membrane bound isoforms, and is thought to be involved in controlling lymphocyte proliferation induced by T-cell activation.
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured by its binding ability in a functional ELISA.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	44KDa (monomer)
AA Sequence	Gln33-Gln197
Endotoxin	<0.06 eu/μg="" as="" determined="" by="" lal="">
Purity	>98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
Reconstitution	Reconstitute at 100μg/ml in sterile PBS.
Warning	Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name	Tnfrsf25 tumor necrosis factor receptor superfamily, member 25 [Mus musculus]
Official Symbol	TNFRSF25
Synonyms	TNFRSF25; tumor necrosis factor receptor superfamily, member 25; tumor necrosis factor receptor superfamily member 25; tumor necrosis factor receptor superfamily, member 12; DR3; TR3; Wsl; DDR3; LARD; APO-3; TRAMP; WSL-1; WSL-LR; Tnfrsf12;
Gene ID	85030
mRNA Refseq	NM_033042
Protein Refseq	NP_149031

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Apoptosis, organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem;
Function	receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA