

Recombinant Human GAD2 Protein, N-His tagged

Cat. No. GAD2-9170H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human GAD2 Protein with N-His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	1-585 aa
Description	This gene encodes one of several forms of glutamic acid decarboxylase, identified as a major autoantigen in insulin-dependent diabetes. The enzyme encoded is responsible for catalyzing the production of gamma-aminobutyric acid from L-glutamic acid. A pathogenic role for this enzyme has been identified in the human pancreas since it has been identified as an autoantibody and an autoreactive T cell target in insulin-dependent diabetes. This gene may also play a role in the stiff man syndrome. Alternative splicing results in multiple transcript variants that encode the same protein.
Form	Lyophilized
Molecular Mass	67.5 kDa
AA Sequence	MGSSHHHHHHSSGLVPRGSHMASPGSGFWSFGSEDGSGDSENPGTARAWCQVA QKFTGGIGNKLCALLYGDAEKPAESGGSQPPRAAARKAACACDQKPCSCSKVDVN YAFLHATDLLPACDGERPTLAFLQDVMNILLQYVVKSFDRSTKVIDFHYPNELLQEYN WELADQPQNLEEILMHCQTTLKYAIKTGHPRYFNQLSTGLDMVGLAADWLTSTANT

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

NMFTYEIAPVFVLLLEYVTLKKMREIIGWPGGSGDGIFSPGGAISNMYAMMIARFKMFP
 EVKEKGMAALPRLIAFTSEHSHFSLKKGAAALGIGTDSVILIKCDERGMIPSDLERRI
 LEAKQKGFVPFLVSATAGTTVYGAFDPLLAVADICKKYKIWMHVDAAWGGGLLMSR
 KHKWKLSGVERANSVTWNPHKMMGVPLQCSALLVREEGLMQNCNQMHASYLFQQ
 DKHYDLSYDTGDKALQCGRHVDVFKLWLMWRAKGTGFEAHVDKCLELAEYLYNII
 KNREGYEMVFDGKPKQHTNVCFWYIPPSLRTLEDNEERMSRLSKVAPVIKARMMMEY
 GTTMVSYQPLGDKVNFFRMVISNPAATHQDIDFLIEEIERLGQDL

Purity 90%

Storage Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Storage Buffer Lyophilized from sterile PBS, pH 8.0, 5% trehalose, 5% mannitol.

GENE INFORMATION

Gene Name GAD2 glutamate decarboxylase 2 [Homo sapiens (human)]

Official Symbol GAD2

Synonyms GAD2; glutamate decarboxylase 2; GAD65; glutamate decarboxylase 2; 65 kDa glutamic acid decarboxylase; GAD-65; Glutamate decarboxylase-2 (pancreas); glutamate decarboxylase 2 (pancreatic islets and brain, 65kDa); EC 4.1.1.15

Gene ID 2572

mRNA Refseq NM_000818

Protein Refseq NP_000809

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM 138275

UniProt ID Q05329

**Reducing 12% SDS-
PAGE and WB
analysis profile of
purified GAD2**



1. GAD2
2. BSA

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA