

Active Recombinant Mouse CD28, MlgG2a Fc-tagged

Cat. No. CD28-232M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of mouse CD28 (NP_031668.3) (Lys21-Lys149) is fused to the N-terminus of the Fc region of mouse IgG2a.
Species	Mouse
Source	CHO
ProteinLength	21-149 a.a.
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured by its ability to inhibit IL-2 secretion by stimulated Jurkat human acute T cell leukemia cells.
Molecular Mass	41 KDa (monomer)
AA Sequence	Lys21-Lys149
Endotoxin	<0.06 eu/µg="" as="" determined="" by="" la="" test.="">
Purity	>98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Reconstitution Reconstitute at 100µg/ml in sterile PBS.

Warning Avoid freeze/thaw cycles.

GENE INFORMATION

Gene Name Cd28 CD28 antigen [*Mus musculus*]

Official Symbol CD28

Synonyms CD28; CD28 antigen; T-cell-specific surface glycoprotein CD28;

Gene ID 12487

mRNA Refseq NM_007642

Protein Refseq NP_031668

Pathway Adaptive Immune System, organism-specific biosystem; Allograft rejection, organism-specific biosystem; Allograft rejection, conserved biosystem; Autoimmune thyroid disease, organism-specific biosystem; Autoimmune thyroid disease, conserved biosystem; CD28 co-stimulation, organism-specific biosystem; CD28 dependent PI3K/Akt signaling, organism-specific biosystem;

Function SH3/SH2 adaptor activity; protease binding; protein homodimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA