

Active Recombinant Human IL12A & IL12B protein, His-tagged

Cat. No. IL12A & IL12B-3517H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human IL12A & IL12B protein(P29459-1 & NP_002178.2)(Met1-Ser219 & Met1-Ser328), fused with His tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Met1-Ser219 & Met1-Ser328
Form	Lyophilized from sterile PBS, pH 7.4Please contact us for any concerns or special requirements. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the hard copy of CoA.
Bio-activity	Measured by its ability to induce Interferon gamma secretion by human natural killer lymphoma NK-92 cells. The ED50 for this effect is typically 0.04-0.4 ng/mL.
Molecular Mass	The recombinant IL12 heterodimer of human IL12A/IL12B comprises 525 (208+317) amino acids and has a calculated molecular mass of 60.13 (23.99+36.14) kDa.
Endotoxin	< 5 EU per mg of the protein.
Purity	≥ 95 % as determined by SDS-PAGE. ≥ 95 % as determined by SEC-HPLC.
Storage	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

GENE INFORMATION
Gene Name

IL12A interleukin 12A (natural killer cell stimulatory factor 1, cytotoxic lymphocyte maturation factor 1, p35) [Homo sapiens]

Official Symbol

IL12A

Synonyms

IL12A; interleukin 12A (natural killer cell stimulatory factor 1, cytotoxic lymphocyte maturation factor 1, p35); NKSF1; interleukin-12 subunit alpha; CLMF; cytotoxic lymphocyte maturation factor 1; p35; IL 12; subunit p35; IL 12A; IL35 subunit; interleukin 12; interleukin 12 alpha chain; natural killer cell stimulatory factor 1; 35 kD subunit; NF cell stimulatory factor chain 1; NFSK; CLMF p35; IL-12 subunit p35; IL-12, subunit p35; interleukin 12, p35; interleukin-12 alpha chain; NK cell stimulatory factor chain 1; cytotoxic lymphocyte maturation factor 1, p35; cytotoxic lymphocyte maturation factor 35 kDa subunit; natural killer cell stimulatory factor 1, 35 kD subunit; P35; IL-12A;

Gene ID

3592

mRNA Refseq

NM_000882

Protein Refseq

NP_000873

MIM

161560

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

P29459

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA