

Recombinant Human ZAP70, GST-tagged, Active

Cat. No. ZAP70-458H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant full-length human ZAP70 was expressed by baculovirus in Sf9 insect cells using a N-terminal GST tag. MW = 96 kDa.
Species	Human
Source	Sf9 Cells
Description	ZAP70 is a non-receptor protein tyrosine kinase (part of the Syk/Zap70 family) that is involved in signaling by the T-cell antigen receptor (TCR). Ligation of the TCR/CD3 receptor in Jurkat T-cells induces phosphoprotein complexes which contain ZAP70. TCR zeta chains are initially phosphorylated by p56Lck that lead to the recruitment of ZAP70 via its SH2 domain. ZAP70 in turn phosphorylates other proteins in the TCR-phosphoprotein complex. One of the natural substrates for ZAP70 is the zeta-chain dimer of the TCR/CD3 complex.
Sequence	Full-length.
Applications	Kinase Assay, Western Blot.
Storage And Stability	Store product at -70°C . For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


Gene Name	ZAP70 zeta-chain (TCR) associated protein kinase 70kDa [Homo sapiens]
Synonyms	ZAP70; zeta-chain (TCR) associated protein kinase 70kDa; SRK; STD; TZK; ZAP-70; FLJ17670; FLJ17679; zeta-chain (TCR) associated protein kinase (70 kD); Tyrosine-protein kinase ZAP-70; 70 kDa zeta-associated protein Syk-related tyrosine kinase; EC 2.7.10.2; zeta-chain associated protein kinase 70kDa; zeta-chain associated protein kinase, 70kD
Gene ID	7535
mRNA Refseq	NM_001079
Protein Refseq	NP_001070
MIM	176947
UniProt ID	P43403
Chromosome Location	2q12
Pathway	Natural killer cell mediated cytotoxicity; Primary immunodeficiency; T cell receptor signaling pathway; Signaling in Immune system
Function	ATP binding; non-membrane spanning protein tyrosine kinase activity; nucleotide binding; phosphotyrosine binding; transferase activity; protein binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PDB rendering based
on 1m61.



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA