

Recombinant Mouse CTNNB1 cell lysate

Cat. No. CTNNB1-001MCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Mouse CTNNB1 / Catenin beta-1 derived in Baculovirus-Insect cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Mouse
Source	Insect Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	SDS-PAGE for Western blot application. If dissociating conditions are required, add reducing agent prior to heating.
Stability	Samples are stable for up to twelve months from date of receipt at -80°C
Storage Buffer	50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Storage Instruction	Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

GENE INFORMATION

Gene Name	Ctnnb1 catenin (cadherin associated protein), beta 1 [<i>Mus musculus</i>]
Official Symbol	CTNNB1
Synonyms	CTNNB1; catenin (cadherin associated protein), beta 1; catenin beta-1; beta-catenin; Bfc; Mesc; Catnb;
Gene ID	12387
mRNA Refseq	NM_001165902
Protein Refseq	NP_001159374
Pathway	Adherens junction, organism-specific biosystem; Adherens junction, conserved biosystem; Adherens junctions interactions, organism-specific biosystem; Adipogenesis, organism-specific biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; Apoptosis, organism-specific biosystem; Apoptotic

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



cleavage of cell adhesion proteins, organism-specific biosystem;

Function

DNA binding; I-SMAD binding; R-SMAD binding; RPTP-like protein binding; SMAD binding; alpha-catenin binding; alpha-catenin binding; binding; cadherin binding; cadherin binding; chromatin binding; double-stranded DNA binding; enzyme binding; estrogen receptor binding; ion channel binding; ionotropic glutamate receptor binding; kinase binding; nuclear hormone receptor binding; protein C-terminus binding; protein binding; protein complex binding; protein kinase binding; protein phosphatase binding; protein phosphatase binding; repressing transcription factor binding; sequence-specific DNA binding transcription factor activity; structural molecule activity; transcription coactivator activity; transcription coactivator activity; transcription factor binding; transcription factor binding; transcription regulatory region DNA binding; transcription regulatory region DNA binding;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA