

Recombinant Human UBA1 cell lysate

Cat. No. UBA1-420HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human UBE1 / UBA1 derived in Baculovirus-Insect cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Human
Source	Insect Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on SDS-PAGE for Western blot application. If dissociating conditions are required, add

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

reducing agent prior to heating.

Stability

Samples are stable for up to twelve months from date of receipt at -80°C

Storage Buffer

50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF

Storage Instruction

Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

GENE INFORMATION

Gene Name

UBA1 ubiquitin-like modifier activating enzyme 1 [Homo sapiens]

Official Symbol

UBA1

Synonyms

UBA1; ubiquitin-like modifier activating enzyme 1; A1S9T, GXP1, UBE1, ubiquitin activating enzyme E1 , ubiquitin activating enzyme E1 (A1S9T and BN75 temperature sensitivity complementing); ubiquitin-like modifier-activating enzyme 1; POC20; POC20 centriolar protein homolog (Chlamydomonas); ubiquitin activating enzyme E1 homolog (yeast); UBE1X; POC20 centriolar protein homolog; UBA1, ubiquitin-activating enzyme E1 homolog A; A1S9T and BN75 temperature sensitivity complementing; A1S9; A1ST; GXP1; UBE1; A1S9T; AMCX1; SMAX2; UBA1A; MGC4781;

Gene ID

7317

mRNA Refseq

NM_003334

Protein Refseq

NP_003325

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	314370
UniProt ID	P22314
Chromosome Location	Xp11.23
Pathway	Adaptive Immune System, organism-specific biosystem; Antigen processing: Ubiquitination and Proteasome degradation, organism-specific biosystem; Class I MHC mediated antigen processing & presentation, organism-specific biosystem; Immune System, organism-specific biosystem; Parkinsons disease, organism-specific biosystem;
Function	ATP binding; ligase activity; nucleotide binding; protein binding; small protein activating enzyme activity;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA