

Recombinant Human Heme Oxygenase (Decycling) 2, GST-tagged

Cat. No. HMOX2-1453H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full-length human HO2 Protein was expressed in <i>E. coli</i> cells using an N-terminal GST tag. MW = 62 kDa.
Species	Human
Source	<i>E. coli</i>
Description	HO2, or heme oxygenase 2, belongs to the heme oxygenase family that are essential enzyme in heme catabolism that cleave heme to form biliverdin which is subsequently converted to bilirubin by biliverdin reductase. HO2 is part of the calcium-sensitive potassium channel complex and enhances channel activity in normoxia. Knockdown of HO2 expression reduces channel activity, an effect that is reversed by carbon monoxide. Inhibition of calcium-sensitive potassium channels by hypoxia is dependent on HO2 expression and is augmented by HO2 stimulation.
Sequence	Full-length.
Applications	Western Blot.
Storage And Stability	Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene Name	HMOX2 heme oxygenase (decycling) 2 [Homo sapiens]
Synonyms	HMOX2; heme oxygenase (decycling) 2; HO-2; EC 1.14.99.3; HO2; heme oxygenase (decyclizing) 2; Heme oxygenase 2
Gene ID	3163
mRNA Refseq	NM_001127204
Protein Refseq	NP_001120676
MIM	141251
UniProt ID	P30519
Chromosome Location	16p13.3
Pathway	Porphyrin and chlorophyll metabolism
Function	electron carrier activity; heme oxygenase (decyclizing) activity; iron ion binding; metal ion binding; oxidoreductase activity; protein binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PDB rendering based
on 2q32.

