

Recombinant Human PTH1R cell lysate

Cat. No. PTH1R-1841HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human PTH1R / PTHR1 / PTH1 Receptor derived in Human Cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Human
Source	Human Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE for Western blot application. If dissociating conditions are required, add reducing agent prior to heating.

Stability

Samples are stable for up to twelve months from date of receipt at -80°C

Storage Buffer

50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF

Storage Instruction

Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

GENE INFORMATION

Gene Name

PTH1R parathyroid hormone 1 receptor [Homo sapiens]

Official Symbol

PTH1R

Synonyms

PTH1R; parathyroid hormone 1 receptor; parathyroid hormone receptor 1 , PTHR, PTHR1; parathyroid hormone/parathyroid hormone-related peptide receptor; PTH1 receptor; PTH/PTHr receptor; PTH/PTHrP type I receptor; parathyroid hormone receptor 1; seven transmembrane helix receptor; parathyroid hormone/parathyroid hormone-related protein receptor; PFE; PTHR; PTHR1; MGC138426; MGC138452;

Gene ID

5745

mRNA Refseq

NM_000316

Protein Refseq

NP_000307

MIM

168468

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	Q03431
Chromosome Location	3p22-p21.1
Pathway	Class B/2 (Secretin family receptors), organism-specific biosystem; Endochondral Ossification, organism-specific biosystem; Endocrine and other factor-regulated calcium reabsorption, organism-specific biosystem; Endocrine and other factor-regulated calcium reabsorption, conserved biosystem; G alpha (s) signalling events, organism-specific biosystem; GPCR downstream signaling, organism-specific biosystem; GPCR ligand binding, organism-specific biosystem;
Function	parathyroid hormone receptor activity; peptide hormone binding; protein self-association; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA