

Recombinant Human ITGA5 & ITGB1 cell lysate

Cat. No. ITGA5 & ITGB1-1877HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human ITGA5 & ITGB1 (Integrin alpha-5 / Integrin beta-1) Heterodimer derived in Human Cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Human
Source	Human Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	SDS-PAGE for Western blot application. If dissociating conditions are required, add reducing agent prior to heating.
Stability	Samples are stable for up to twelve months from date of receipt at -80°C
Storage Buffer	50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Storage Instruction	Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.
GENE INFORMATION	
Gene Name	ITGA5 integrin, alpha 5 (fibronectin receptor, alpha polypeptide) [Homo sapiens]; ITGB1 integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2, MSK12) [Homo sapiens]
Official Symbol	ITGA5; ITGB1
Synonyms	FNRA; CD49e; VLA5A; integrin alpha-5; VLA-5; integrin alpha-F; CD49 antigen-like family member E; fibronectin receptor subunit alpha; fibronectin receptor, alpha subunit; very late activation protein 5, alpha subunit; CD29; FNRB; MDF2; VLAB; GPIIA; MSK12; VLA-BETA;;integrin beta-1; glycoprotein IIa; integrin VLA-4 beta subunit; very late activation protein, beta polypeptide
Gene ID	3678; 3688
mRNA Refseq	NM_002205; NM_002211
Protein Refseq	NP_002196; NP_002202

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	135620; 135630
UniProt ID	P08648; P05556
Chromosome Location	12q11-q13; 10p11.2
Pathway	Angiopoietin receptor Tie2-mediated signaling, organism-specific biosystem; Cell surface interactions at the vascular wall, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; Axon guidance, organism-specific biosystem
Function	epidermal growth factor receptor binding; integrin binding; metal ion binding; actin binding; glycoprotein binding

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA