

Recombinant Mouse Eph Receptor B2

Cat. No. Ephb2-1727M **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Mouse
Source	Mammalian Cells
Description	Ephrin receptors and their ligands, the ephrins, mediate numerous developmental processes, particularly in the nervous system. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. The Eph family of receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. Ephrin receptors make up the largest subgroup of the receptor tyrosine kinase (RTK) family. The protein encoded by this gene is a receptor for ephrin-B family members.
Molecular Weight	The predicted molecular weight of Recombinant Mouse EphB2 is Mr 85.3 kDa. However, the actual molecular weight as observed by migration on SDS Page is Mr 100-110 kDa.
State Of Matter	Lyophilized.
Purity	>90% by SDS Page and analyzed by silver stain.
Endotoxin	<1.0 EU/g as determined by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage And Stability

This lyophilized protein is stable for six to twelve months when stored desiccated at -20°C to -70°C. After aseptic reconstitution, this protein may be stored at 2°C to 8°C for one month or at -20°C to -70°C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles. See Product Insert for exact lot specific storage instructions.

GENE INFORMATION


Gene Name	Ephb2 Eph receptor B2 [Mus musculus]
Synonyms	Ephb2; Eph receptor B2; Drt; Erk; Nuk; Cek5; Hek5; Qek5; Sek3; ETECK; Prkm5; Tyro5; OTTMUSP00000010323; EC 2.7.10.1
Gene ID	13844
mRNA Refseq	NM_010142
Protein Refseq	NP_034272
UniProt ID	P54763
Chromosome Location	4 D-E; 4 65.7 cM
Pathway	Axon guidance
Function	ATP binding; axon guidance receptor activity; ephrin receptor activity; kinase activity; nucleotide binding; protein binding; protein kinase activity; protein tyrosine kinase activity; receptor activity; receptor binding; transferase activity; transmembrane receptor protein tyrosine kinase activity; transmembrane-ephrin receptor activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PDB rendering based
on 1b4f.



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA