

Recombinant Human LRPAP1 cell lysate

Cat. No. LRPAP1-2574HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human LRPAP1 / A2MRAP derived in Human Cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Human
Source	Human Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on SDS-PAGE for Western blot application. If dissociating conditions are required, add

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	reducing agent prior to heating.
Stability	Samples are stable for up to twelve months from date of receipt at -80°C
Storage Buffer	50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Storage Instruction	Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.
GENE INFORMATION	
Gene Name	LRPAP1 low density lipoprotein receptor-related protein associated protein 1 [Homo sapiens]
Official Symbol	LRPAP1
Synonyms	LRPAP1; low density lipoprotein receptor-related protein associated protein 1; A2MRAP, low density lipoprotein related protein associated protein 1 (alpha 2 macroglobulin receptor associated protein 1); alpha-2-macroglobulin receptor-associated protein; HBP44; alpha-2-MRAP; lipoprotein receptor associated protein; alpha-2-macroglobulin receptor-associated protein 1; low density lipoprotein receptor-related protein-associated protein 1; low density lipoprotein-related protein-associated protein 1 (alpha-2-macroglobulin receptor-associated protein 1); RAP; MRAP; A2RAP; A2MRAP; MGC138272;
Gene ID	4043
mRNA Refseq	NM_002337

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_002328
MIM	104225
UniProt ID	P30533
Chromosome Location	4p16.3
Pathway	Lissencephaly gene (LIS1) in neuronal migration and development, organism-specific biosystem; Reelin signaling pathway, organism-specific biosystem; Signaling events mediated by the Hedgehog family, organism-specific biosystem;
Function	asialoglycoprotein receptor activity; heparin binding; lipase binding; low-density lipoprotein particle receptor binding; receptor antagonist activity; unfolded protein binding; very-low-density lipoprotein particle receptor binding;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA