

Recombinant Human SCARB1 cell lysate

Cat. No. SCARB1-2699HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human SCARB1 / CD36L1 / CLA-1 derived in Human Cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Human
Source	Human Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on SDS-PAGE for Western blot application. If dissociating conditions are required, add

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	reducing agent prior to heating.
Stability	Samples are stable for up to twelve months from date of receipt at -80°C
Storage Buffer	50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Storage Instruction	Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

GENE INFORMATION

Gene Name	SCARB1 scavenger receptor class B, member 1 [Homo sapiens]
Official Symbol	SCARB1
Synonyms	SCARB1; scavenger receptor class B, member 1; CD36 antigen (collagen type I receptor, thrombospondin receptor) like 1 , CD36L1; scavenger receptor class B member 1; CLA 1; CLA1; SR BI; SRB1; CD36 and LIMPII analogous 1; scavenger receptor class B type III; CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1; CLA-1; SR-BI; CD36L1; HDLQTL6; MGC138242;
Gene ID	949
mRNA Refseq	NM_001082959
Protein Refseq	NP_001076428
MIM	601040

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	Q8WTV0
Chromosome Location	12q24.32
Pathway	Bile secretion, organism-specific biosystem; Bile secretion, conserved biosystem; Fat digestion and absorption, organism-specific biosystem; Fat digestion and absorption, conserved biosystem; Folate Metabolism, organism-specific biosystem; HDL-mediated lipid transport, organism-specific biosystem; Hepatitis C, organism-specific biosystem;
Function	1-phosphatidylinositol binding; apolipoprotein A-I binding; apolipoprotein binding; high-density lipoprotein particle binding; high-density lipoprotein particle receptor activity; lipopolysaccharide binding; lipopolysaccharide receptor activity; low-density lipoprotein particle binding; phosphatidylserine binding; protein homodimerization activity; receptor activity; transporter activity;