

Active Recombinant Human IL2RB&IL2RG protein, Fc-Avi-tagged, Biotinylated

Cat. No. IL2RB&IL2RG-0253H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant Human IL2RB&IL2RG protein(Ala27-Asp239(IL-2RB)&Leu23-Asn254(IL-2RG)), fused with Fc and Avi tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	27-239;23-254 a.a.
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4 with trehalose as protectant.
Bio-activity	Immobilized Human IL-2, Tag Free at 5 µg/mL (100 µL/well) can bind Biotinylated Human IL-2RB&IL-2RG Heterodimer Protein, Fc,Avitag&Fc,Avitag with a linear range of 0.01-0.156 µg/mL.Immobilized Human IL-15, premium grade at 5 µg/mL (100 µL/well) can bind Biotinylated Human IL-2RB&IL-2RG Heterodimer Protein, Fc,Avitag&Fc,Avitag with a linear range of 0.039-0.625 µg/mL.
Molecular Mass	The reducing (R) protein migrates as 60-66 kDa and 80-90 kDa respectively due to glycosylation.
Proteinlength	Ala27-Asp239(IL-2RB)&Leu23-Asn254(IL-2RG)
Endotoxin	Less than 1.0 EU per µg by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>95% as determined by SDS-PAGE.
Storage	For long term, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. This product is stable after at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin
GENE INFORMATION	
Gene Name	IL2RB interleukin 2 receptor, beta [Homo sapiens]
Official Symbol	IL2RB
Synonyms	IL2RB; interleukin 2 receptor, beta; IL15RB, interleukin 15 receptor, beta; interleukin-2 receptor subunit beta; CD122; p75; IL-2RB; CD122 antigen; IL-2R subunit beta; IL-2 receptor subunit beta; interleukin 15 receptor, beta; high affinity IL-2 receptor beta subunit; high affinity IL-2 receptor subunit beta; IL15RB; P70-75;
Gene ID	3560
mRNA Refseq	NM_000878
Protein Refseq	NP_000869
MIM	146710

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P14784

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA