

Active Recombinant Human BMPR2 protein, His-tagged

Cat. No. BMPR2-0770H Lot. No. (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human BMPR2 protein(Q13873)(27~150 aa), fused with N-terminal His tag, was expressed in E.coli.
Species	Human
Source	E.coli
ProteinLength	27-150 aa
Form	Lyophilized from sterile PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Bio-activity	Bone Morphogenetic Protein Receptor 2 (BMPR2) is a member of the bone morphogenetic protein (BMP) receptor family of transmembrane serine/threonine kinases. BMPR2 is a TGF β type II receptor expressed on cumulus cells. Growth Differentiation Factor 9 (GDF9) can bind to BMPR2 through different type I receptors, thereby regulating downstream metabolic reactions. Thus a functional binding ELISA assay was conducted to detect the interaction of recombinant human BMPR2 and recombinant human GDF9. Briefly, biotin-linked BMPR2 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100 ul were then transferred to GDF9-coated microtiter wells and incubated for 1h at 37°C. Wells were washed with PBST 3 times and incubation with Streptavidin-HRP for 30min, then wells were aspirated and washed 5 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50 μ stop solution to the wells and read

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

at 450 nm immediately. The binding activity of recombinant human BMPR2 and recombinant human GDF9 was shown, the EC50 for this effect is 42.87 ng/mL.

Molecular Mass	17.7kDa
Endotoxin	<1.0EU per 1µg (determined by the LAL method).
Purity	> 90% as determined by SDS-PAGE.
Storage	Avoid repeated freeze/thaw cycles. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.
Reconstitution	Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name	BMPR2 bone morphogenetic protein receptor, type II (serine/threonine kinase) [<i>Homo sapiens</i>]
Official Symbol	BMPR2
Synonyms	BMPR2; bone morphogenetic protein receptor, type II (serine/threonine kinase); PPH1, primary pulmonary hypertension 1; bone morphogenetic protein receptor type-2; BMPR II; BMPR3; BRK 3; T ALK; BMPR-2; BMP type-2 receptor; BMP type II receptor; type II activin receptor-like kinase; bone morphogenetic protein receptor type II; type II receptor for bone morphogenetic protein-4; BMR2; PPH1; BRK-3; T-ALK; BMPR-II; FLJ41585; FLJ76945;
Gene ID	659

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_001204](#)

Protein Refseq [NP_001195](#)


MIM [600799](#)

UniProt ID [Q13873](#)

Activity



SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA