

Active Recombinant Mouse TIGIT protein, mFc-tagged

Cat. No. TIGIT-0799M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse TIGIT protein(Gly26-Thr143), fused with mFc tag, was expressed in HEK293.
Species	Mouse
Source	HEK293
ProteinLength	26-143 a.a.
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally trehalose is added as protectant before lyophilization.
Bio-activity	Immobilized Biotinylated Mouse CD155, Fc,Avitag at 1 µg/mL (100 µL/well) on streptavidin precoated (0.5 µg/well) plate can bind Mouse TIGIT, Mouse IgG2a Fc Tag with a linear range of 0.1-2 ng/mL.
Molecular Mass	This protein carries a mouse IgG2a Fc tag at the C-terminus.The protein has a calculated MW of 39.8 kDa. The protein migrates as 45-50 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
Proteinlength	Gly26-Thr143
Endotoxin	Less than 0.1 EU per µg by the LAL method.
Purity	>95% as determined by SDS-PAGE.>90% as determined by SEC-MALS.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage

Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.

Reconstitution

It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

GENE INFORMATION
Gene Name

Tigit T cell immunoreceptor with Ig and ITIM domains [[Mus musculus](#)]

Official Symbol

[TIGIT](#)

Synonyms

TIGIT; T cell immunoreceptor with Ig and ITIM domains; T-cell immunoreceptor with Ig and ITIM domains; V-set and transmembrane domain containing 3; V-set and transmembrane domain-containing protein 3; Vstm3; ENSMUSG00000071552;

Gene ID

[100043314](#)

mRNA Refseq

[NM_001146325](#)

Protein Refseq

[NP_001139797](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA